

**Journal of Visualized Experiments**  
**Designing and implementing nervous system simulations on LEGO robots**  
--Manuscript Draft--

<b>Manuscript Number:</b>	JoVE50519R1
<b>Article Type:</b>	Invited Methods Article - Author Produced Video
<b>Corresponding Author:</b>	Daniel Blustein Northeastern University Marine Science Center Nahant, MA UNITED STATES
<b>First Author:</b>	Daniel Blustein
<b>Order of Authors:</b>	Daniel Blustein
	Nikolai Rosenthal
	Joseph Ayers

**Daniel Blustein**  
430 Nahant Rd  
Nahant, MA 01908

November 8, 2012

**Rachelle Baker**  
*Associate Editor*  
Journal of Visualized Experiments  
17 Sellers St.  
Cambridge, MA 02139

Dear Rachelle Baker:

Attached please find my submission, **Designing and implementing nervous system simulations on LEGO robots**, for your consideration. This novel and previously unpublished method presents an exciting new approach to bioengineering that is well suited for video publication.

Should you have any questions, please feel free to contact me by email <blustein.d@husky.neu.edu> or on my mobile phone, 608-345-7521.

Thank you for your consideration of my work and I look forward to working with you during the submission process.

*Sincerely,*

A handwritten signature in black ink, appearing to read "Daniel Blustein". The signature is fluid and cursive, with the first name "Daniel" being more prominent than the last name "Blustein".

Daniel Blustein  
*PHD CANDIDATE, NORTHEASTERN UNIVERSITY*

ONLINE ATTACHMENTS

**TITLE:** Designing and implementing nervous system simulations on LEGO robots

**AUTHORS:**

Daniel Blustein  
Marine Science Center  
Northeastern University  
430 Nahant Rd, Nahant, MA 01908  
[blustein.d@husky.neu.edu](mailto:blustein.d@husky.neu.edu)

Nikolai Rosenthal  
Fachrichtung Bionik  
Bremen University of Applied Sciences  
Neustadtswall 30, 28199 Bremen, Germany  
[nikolai.rosenthal@gmx.de](mailto:nikolai.rosenthal@gmx.de)

Joseph Ayers  
Marine Science Center  
Northeastern University  
430 Nahant Rd, Nahant, MA 01908  
[lobster@neu.edu](mailto:lobster@neu.edu)

**CORRESPONDING AUTHOR:**

Daniel Blustein  
Marine Science Center  
Northeastern University  
[blustein.d@husky.neu.edu](mailto:blustein.d@husky.neu.edu)  
phone: 781-581-7370  
fax: 781-581-6076

**KEYWORDS:** neuroscience, robotics, modeling, sensory fusion, educational tools

**SHORT ABSTRACT:** An approach to neural network modeling on the LEGO Mindstorms robotics platform is presented. The method provides a simulation tool for invertebrate neuroscience research in both the research lab and the classroom. This technique enables the investigation of biomimetic robot control principles.

**LONG ABSTRACT:** We present a method to use the commercially available LEGO Mindstorms NXT robotics platform to test systems level neuroscience hypotheses. The first step of the method is to develop a nervous system simulation of specific reflexive behaviors of an appropriate model organism; here we use the American Lobster. Exteroceptive reflexes mediated by decussating (crossing) neural connections can explain an animal's taxis towards or away from a stimulus as described by Braitenberg and are particularly well suited for investigation using the NXT platform.<sup>1</sup> The nervous system simulation is programmed using

LabVIEW software on the LEGO Mindstorms platform. Once the nervous system is tuned properly, behavioral experiments are run on the robot and on the animal under identical environmental conditions. By controlling the sensory milieu experienced by the specimens, differences in behavioral outputs can be observed. These differences may point to specific deficiencies in the nervous system model and serve to inform the iteration of the model for the particular behavior under study. This method allows for the experimental manipulation of electronic nervous systems and serves as a way to explore neuroscience hypotheses specifically regarding the neurophysiological basis of simple innate reflexive behaviors. The LEGO Mindstorms NXT kit provides an affordable and efficient platform on which to test preliminary biomimetic robot control schemes. The approach is also well suited for the high school classroom to serve as the foundation for a hands-on inquiry-based biorobotics curriculum.

**INTRODUCTION:** Neurophysiological investigations over the past 100 years have broadened tremendously our knowledge of nervous system structure and function. However, the majority of nervous system research to date has relied on the use of isolated preparations or restrained subjects. While there have been many successful efforts to record neural activity from freely behaving animals<sup>2-5</sup>, the biorobotic approach provides a valuable tool to allow for nervous system manipulation in order to test systems level neuroscience hypotheses<sup>6</sup>. Simulated nervous systems operating on robots can be experimentally manipulated and allow for the extension of software modeling to the physical world. This approach has been well implemented in the academic world<sup>7,8</sup> but the process of building a biomimetic robot for hypothesis testing can be expensive and time consuming. We present a method to execute the biorobotic approach using a commercially available robotics kit (LEGO Mindstorms NXT 2.0). The goal of this method is to provide a rapid and efficient way to test systems level neuroscience hypotheses on robotic<sup>9</sup> or bio-hybrid<sup>10</sup> embodied neural network simulations. Accelerating the process from hypothesis to experiment improves research productivity. The simple LEGO Mindstorms platform provides a test bed for biomimetic sensors and neural networks which we demonstrate using the American Lobster (*Homarus americanus*) as a model organism. The method also provides a powerful hands-on educational tool in the classroom as students can design and manipulate nervous systems for their own robots<sup>11</sup>.

## **PROCEDURE:**

### **1) Building the robot model**

1.1) Choose a model organism to study that is well represented in the neuroethological literature. Invertebrates generally make good candidates because their relatively simple nervous systems have been well studied and are primarily comprised of innate reflexes. We will demonstrate this approach using the American Lobster, *Homarus americanus*.

1.2) Select well-studied reflexive behaviors for modeling purposes. We have chosen the lobster's responses to antennal bend and to claw bump detection as the animal reflexively responds to bending of antennae to elicit rheotaxis (orientation to water flow) while claw

contacts mediate obstacle avoidance. Simple reflexes relying on decussating neural connections from bilaterally symmetrical sensors are well suited for this type of study<sup>1</sup>.

1.3) Build or choose a robotic platform with appropriate sensors for the selected behaviors in order to run the neural network simulation. While a dedicated robot can be constructed such as RoboLobster<sup>12</sup> or the Sprawl (cockroach) robot family<sup>13</sup>, here we use a commercially available kit to expedite the experimental process. The LEGO Mindstorms NXT 2.0 kit, providing templates, modular components and established sensors, allows for the rapid physical construction of the robot.

1.4) Select or build sensors to match the modalities of the behaviors selected in step 1.2. Premade sensors from the LEGO Mindstorms kit can be used or homebrew sensors can be engineered<sup>14,15</sup>. We have selected the included LEGO touch sensor and a custom antennal bend sensor consisting of a FlexPoint bend sensor spliced to an NXT connector. To build a custom resistive connector, cut an NXT connector wire and solder the black and white cables to the leads of the sensor.

1.5) Use previously published neuroethological studies to find or develop a hypothetical neural network for modeling purposes. The literature has proposed various neural networks to explain the behavior in various model organisms, from lobsters<sup>16</sup> to lamprey<sup>17</sup>. Functional neural units should be identified and their synaptic connections theorized. Novel neuroethological experiments can also be developed and implemented if laboratory circumstances allow.

## **2) Programming the nervous system**

2.1) Use LabVIEW<sup>TM</sup> software along with the LabVIEW Module for LEGO MINDSTORMS NXT to create Virtual Instruments (VIs) that run equations for a mathematical neuron and synapse model. While any published model can be used, we recommend the discrete time map-based (DTM) model<sup>18</sup>. This allows for computationally efficient real time operation while maintaining a variety of neuronal firing output regimes. Two control parameters, *alpha* and *sigma*, determine the dynamics of the simulated neuron to produce varied neural output including tonic spiking, chaotic firing, bursting and intrinsic silence. LabVIEW<sup>TM</sup> VIs for LEGO Mindstorms for this neuron model can be found online here: <http://myfiles.neu.edu/blustein.d/neurobots>

2.2) Place VIs into a *While Loop* so that the network will update iteratively.

2.3) Connect presynaptic neuron spike outputs through synapses to postsynaptic neurons.

2.4) Pass iteratively updating parameters through shift registers to the next calculation cycle. The DTM model updates fast (*x*) and slow (*y*) dynamical variables that are passed to the next iteration of calculations.

2.5) Set synapse parameters to define network characteristics. For each synapse, the synaptic strength (*gsyn*), the relaxation rate (*gamma*), and the reversal potential (*xrp*) are coefficients in

the DTM model equations that determine synaptic behavior. The value of *gsyn* is a multiplier that determines the magnitude of the synaptic current effect from a spike event, ranging from 0.0 (no effect) to 1.0 (100% effect). The value of *gamma* is a multiplier that determines the rate of decay of the synaptic current regardless of spike events, ranging from 0.0 (complete decay) to 1.0 (no decay). The value of *xrp* determines the level of excitation or inhibition of the synapse, values typically range from -3.0 to 3.0 with positive values representing excitation and negative values representing inhibition. Values can be tuned for your specific network characteristics. Here we use the following settings: *gamma*= 0.95, *gsyn*= 0.60 and *xrp* = 2.2 (excitatory synapse) or -1.8 (inhibitory synapse).

2.6) Adjust *alpha* and *sigma* control parameters to modify baseline neuron activity. The dynamics of the model for varied control parameters are described in detail elsewhere<sup>18</sup> but typically, *alpha* < 4 produces intrinsically silent neural activity for low *sigma* values or tonic spiking for high *sigma* values. The transition between 'low' and 'high' *sigma* values generally occurs between -1.0 and 1.0 depending on the *alpha* value. Bursting neuron activity is produced for *alpha* > 4 when *sigma* values are near zero. Here we use *alpha* = 4.05 and *sigma* = -3.10.

2.7) Use LabVIEW VI's to input sensor information into your network. For provided sensors, the VI's are already available within the Mindstorms LabVIEW module. For custom resistive sensors, use the Light Sensor VI as a programming framework. Information about creating homebrew sensors can be found elsewhere<sup>14</sup>.

2.8) Insert graphical charts on the front panel of the LabVIEW program to visualize neuronal activity.

2.9) Temporarily replace sensor inputs with front panel control boxes in order to manually manipulate the sensor information going to the neural network.

2.10) Run the neuronal network and manually adjust the front panel controls to present varied sensory input. Confirm that the network qualitatively functions as predicted for known conditions.

2.11) Adjust the network as needed by changing the neuron and synapse parameters. First attempts at tuning the network should be done by changing synaptic strength (*gsyn*) of the various synapses. Other parameters may need to be adjusted as well.

2.12) Once the network functions with qualitative accuracy, replace the front panel control boxes with the sensor input VIs.

### **3) Nervous system simulation testing**

3.1) Set up a controlled environment in which to observe the animal and the robot under similar conditions. We use a rectangular tank containing rock obstacles (Figure 1). The tank can be emptied to accommodate the Lego robot in the same space.

3.2) Mount a video camera overhead to record the animal/robot behavior. Make sure the contrast between the subject and the background is high to allow for automatic tracking. We painted the bottom of the test tank white.

3.3) Place the animal in the controlled environment and video record the behavior. Be sure to limit the sensory capabilities of the lobster to match those of the robot. Here we restrict the lobster's sensory capabilities by covering the eyes with an aluminum foil mask and deafferenting chemoreceptors with freshwater<sup>19</sup>.

3.4) Adjust the environment to suit a Lego robot (removing water if necessary) and run the robot in the same controlled environment.

3.5) Use a MATLAB script to automatically track the markers on the specimens. We use MouseLabTracker<sup>20</sup>.

3.6) Create and compare vector plots of the animal and robot movements.

3.7) Modify the nervous system and repeat steps 3.3-3.6 to observe how different aspects of the electronic nervous system affects the robot's behavior. Here we adjust the synaptic strength between the claw bump sensor neurons and the motor system and monitor robot performance compared to that of a lobster. Alternatively, the sensory conditions in the test arena can be modified and the effects observed in robot and animal. For example, the arena described here could be subjected to different water flow rates.

## **REPRESENTATIVE RESULTS:**

Inputs from a lobster's claws into its nervous system mediate obstacle negotiation in a novel environment. Figure 1 shows a screenshot of the video used to analyze the behavior of a lobster (Fig. 1A) and a Lego robot (Fig. 1B) in the test arena. The test arena was unmodified between animal and robot tests except that the water was emptied from the tank for the robot trials.

Video tracking results are displayed in Figure 2. Animal and robot travel paths were automatically tracked using MouseLabTracker<sup>20</sup> in MATLAB. Representative paths for lobster (black lines) and Lego robot trials (colored lines) are shown. In the robot trials, synaptic strength from the claw bump sensory neurons into the nervous system was varied and represented by different colored paths (red, low excitation; blue, medium excitation; green, high excitation). The hypothetical nervous system with mid level excitatory connections from the claw bump sensory neurons produced similar behaviors to the animal. Quantitative parameters can be extracted from the data such as path length and average walking speed (Table I).

## **DISCUSSION:**

When initiating biorobotic nervous system simulation experiments, there are a few important guidelines to follow. Choosing the right model organism is critical: pick an organism that is easy

to obtain and maintain. Invertebrates are ideal because they do not usually require institutional approval for experimentation and their husbandry needs are often less demanding than those of vertebrates. From a scientific perspective, it is beneficial to choose an animal that has an established neuroethological literature record from which to draw hypotheses for testing<sup>21</sup>.

Just as important as choosing a suitable organism is the selection of appropriate behavioral reflexes for study. The LEGO NXT platform can only handle four sensors without custom modifications so selecting a relatively simple sensory system with limited sensors is important. Simple behavioral reflexes are often well described and provide more flexibility in the hypotheses that can be tested. The computing power of the NXT is a limiting factor too so efforts should be made to reduce the scope of the nervous system simulation. Scientists often publish proposed neural networks explaining specific behaviors and it is easiest to select one of these. Simple taxes and kineses are well suited to this biorobotic approach<sup>22</sup>.

While this approach is useful for rapid testing of nervous system hypotheses, there are several limitations to keep in mind. The scope of testing possible is limited. Complicated sensory systems cannot be used with this platform. For example, complex visual processing is beyond the capability of the NXT processor but related questions could be addressed by investigating simpler components of the visual system, such as optical flow processing. The sensor suite for the NXT provides some inherent limitations as to the scope of investigations available. While custom sensors can be developed and used on the NXT, this is a time consuming process that requires electronics expertise, possibly negating the advantages of the platform for rapid experimental implementation.

While there are limitations on the range of hypotheses that can be tested, this approach provides a unique tool to early stage implementation of embodied nervous system simulations. The Lego Mindstorms NXT platform can serve as a stepping stone to a more thorough testing of systems level hypotheses as demonstrated by such robots as RoboLamprey<sup>9</sup> and Barbara Webb's robotic cricket<sup>23</sup>. Simple components of extensive biomimetic control architectures can be tested in a rapid and straightforward manner. The method can also advance bio-hybrid simulations that control virtual agents to include embodied vehicle control<sup>24</sup>, and it can serve as a biomimetic control framework to interface between brain and machine<sup>25</sup>.

Using the LEGO Mindstorms platform allows for the transfer of this biorobotic approach to a broader audience in schools and laboratories outside of robotics. The tools have been used by high school and college students<sup>11</sup> and provide an exciting inquiry-based method to teach neuroscience, robotics, and the value of interdisciplinary science. Laboratories without the equipment or background needed to build robots can use this well-supported mainstream robotics kit to use robots as a tool in their work. The biorobotic approach could apply to research in a range of fields, from neuroscience and ethology to biomechanics and social behavior.

**ACKNOWLEDGMENTS:** Funding provided by an NSF Graduate Research Fellowship (DHB).

**DISCLOSURES:** The authors declare that they have no competing financial interests.

## REFERENCES



1. Braitenberg, V. Taxis, kinesis and decussation. *Prog. in Brain Res.* **17**, 210–222 (1965).
2. Schregardus, D. S., Pieneman, A. W., Maat, Ter, A., Jansen, R. F., Brouwer, T. J. F. & Gahr, M. L. A lightweight telemetry system for recording neuronal activity in freely behaving small animals. *Journal of Neuroscience Methods* **155** (1), 62–71 (2006).
3. Kagaya, K. & Takahata, M. Readiness discharge for spontaneous initiation of walking in crayfish. *Journal Of Neuroscience* **30** (4), 1348–1362 (2010).
4. Schrameck, J. E. Crayfish Swimming: Alternating Motor Output and Giant Fiber Activity. *Science* **169** (3946), 698–700 (1970).
5. Kanz, J. E., Eberly, L. B., Cobbs, J. S. & Pinsker, H. M. Neuronal correlates of siphon withdrawal in freely behaving *Aplysia*. *J Neurophysiol* **42** (6), 1538–1556 (1979).
6. Webb, B. Validating biorobotic models. *Journal of neural engineering* **3**, 1–20 (2006).
7. Wessnitzer, J., Asthenidis, A., Petrou, G. & Webb, B. A cricket-controlled robot orienting towards a sound source. *Proceedings of the 12th Annual conference on Towards autonomous robotic systems* 1–12 (2011).
8. Grasso, F. & Atema, J. Integration of flow and chemical sensing for guidance of autonomous marine robots in turbulent flows. *Environ. Fluid Mech.* **2** (1), 95–114 (2002).
9. Westphal, A., Rulkov, N. F., Ayers, J., Brady, D. & Hunt, M. Controlling a lamprey-based robot with an electronic nervous system. *Smart Struct. and Systems* **8** (1), 39–52 (2011).
10. Chao, Z. C., Bakkum, D. J. & Potter, S. M. Shaping embodied neural networks for adaptive goal-directed behavior. *PLoS Computational Biology* **4** (3), e1000042 (2008).
11. Blustein, D., Schultheis, K. & Ayers, J. Building nervous systems for robots: an interactive and collaborative neuroscience curriculum. National Science Teachers Association National Conference, San Francisco, CA. (2011).
12. Ayers, J., Blustein, D. & Westphal, A. A Conserved Biomimetic Control Architecture for Walking, Swimming and Flying Robots. *Lect. Notes on Artif. Intelli.* **7375**, 1–12 (2012).
13. Cowan, N., Ma, E., Cutkosky, M. & Full, R. A Biologically Inspired Passive Antenna for Steering Control of a Running Robot. *Proceedings of ISRR'2003* 541–550 (2003).
14. Gasperi, M. & Hurbain, P. *Extreme NXT: Extending the LEGO MINDSTORMS NXT to the Next Level.* (Apress: Berkeley, CA, 2007).
15. Gasperi, M. *LabVIEW for LEGO MINDSTORMS NXT.* (National Technology and Science Press: Allendale, NJ, 2008).
16. Kennedy, D. & Davis, W. Organization of invertebrate motor systems. *Handbook of Physiology* **1** (Chapter 27), 1023–1088 (1977).
17. Buchanan, J. & Grillner, S. Newly identified “glutamate interneurons” and their role in locomotion in the lamprey spinal cord. *Science* **236** (4799), 312–314 (1987).
18. Rulkov, N. Modeling of spiking-bursting neural behavior using two-dimensional map. *Physical Review E* **65** (4)041922 (2002).
19. Derby, C. D. & Atema, J. Narrow-spectrum chemoreceptor cells in the walking legs of the lobster, *Homarus americanus*: Taste specialists. *Journal of Comparative Physiology A* **146** (2), 181–189 (1982).
20. Tort, A. B. L., Neto, W. P., Amaral, O. B., Kazlauskas, V., Souza, D. O. & Lara, D. R. A simple webcam-based approach for the measurement of rodent locomotion and other

- behavioural parameters. *Journal of Neuroscience Methods* **157** (1), 91–97 (2006).
21. Huxley, T. H. *The Crayfish, An Introduction to the Study of Zoology*. (C. Kegan Paul & Co: London, 1880).
  22. Blustein, D. & Ayers, J. A conserved network for control of arthropod exteroceptive optical flow reflexes during locomotion. *Lect. Notes on Artif. Intelli.* **6226**, 72–81 (2010).
  23. Webb, B. & Scutt, T. A simple latency-dependent spiking-neuron model of cricket phonotaxis. *Biological Cybernetics* **82** (3), 247–269 (2000).
  24. Demarse, T. B., Wagenaar, D. A., Blau, A. W. & Potter, S. M. The Neurally Controlled Animat: Biological Brains Acting with Simulated Bodies. *Autonomous Robots* **11** (3), 305–310 (2001).
  25. Novellino, A., D'Angelo, P., Cozzi, L., Chiappalone, M., Sanguineti, V. & Martinoia, S. Connecting neurons to a mobile robot: an in vitro bidirectional neural interface. *Computational intelligence and neuroscience* 12725 (2007).doi:10.1155/2007/12725

## Tables and Figures

Figure 1. Overhead video frames of the test arena for LEGO robot (A) and lobster (B) trials. Conditions were kept identical except that water was added to the tank for the animal trials. The high contrast video image facilitates automatic tracking using MATLAB software.

Figure 2. Tracking of lobster (black lines) and LEGO robot (colored lines) paths through the test arena shown in Figure 1. On the robot, the synaptic strength from claw bump sensor neurons was varied (red, low excitation; blue, medium excitation; green, high excitation). The \* symbol denotes the starting position and filled black shapes show the location of obstacles. Since head position was being tracked, apparent obstacle contact varies due to variability in claw position.

Table I. Averaged parameters from analysis of video behavior data for lobsters and for LEGO robots with varied strengths of input synapses from the claw bump sensory system.

Figure 1.  
[Click here to download high resolution image](#)





Figure 2.  
[Click here to download high resolution image](#)



	<i>Average path distance (cm)</i>	<i>Average travel speed (cm)</i>
<b>Lobster</b>	177.37	1.03
<b>Lego Robot (high excitation)</b>	162.72	0.94
<b>Lego Robot (mid excitation)</b>	165.32	0.85
<b>Lego Robot (low excitation)</b>	51.02	0.69

\*Table of Reagents/ Materials Used

[Click here to download Table of Reagents/ Materials Used: Blustein\\_JoVE\\_Materials.xlsx](#)

Name of Reagent/Material	Company	Catalog Number	Comments
Mindstorms NXT 2.0	Lego	8547	
LabVIEW 2011 software	National Instruments	776671-35	
LabVIEW Module for LEGO MINDSTORMS NXT	Tufts University/ National Instruments		Available online: <a href="http://www.ni.com/white-paper/4435/en">http://www.ni.com/white-paper/4435/en</a>
LabVIEW neuron/synapse virtual instruments	Northeastern University		Available online: <a href="https://myfiles.neu.edu/blustein.d/neurobots/">https://myfiles.neu.edu/blustein.d/neurobots/</a>
MatLab 2010 software	MathWorks		
MouseLabTracker	Universidade Federal do Rio Grande do Sul <sup>18</sup>		Available online: <a href="http://www.neuro.ufrn.br/incerebro/mouselabtracker.php">http://www.neuro.ufrn.br/incerebro/mouselabtracker.php</a>

## ARTICLE AND VIDEO LICENSE AGREEMENT

Title of Article:

Designing and implementing nervous system simulations on LEGO robots

Author(s):

Daniel Blustein, Nikolai Rosenthal, Joseph Ayers

Item 1 (check one box): The Author elects to have the Materials be made available (as described at <http://www.jove.com/publish>) via: ☒ Standard Access ☐ Open Access

Item 2 (check one box):

- ☒ The Author is NOT a United States government employee.
- ☐ The Author is a United States government employee and the Materials were prepared in the course of his or her duties as a United States government employee.
- ☐ The Author is a United States government employee but the Materials were NOT prepared in the course of his or her duties as a United States government employee.

### ARTICLE AND VIDEO LICENSE AGREEMENT

1. **Defined Terms.** As used in this Article and Video License Agreement, the following terms shall have the following meanings: “**Agreement**” means this Article and Video License Agreement; “**Article**” means the article specified on the last page of this Agreement, including any associated materials such as texts, figures, tables, artwork, abstracts, or summaries contained therein; “**Author**” means the author who is a signatory to this Agreement; “**Collective Work**” means a work, such as a periodical issue, anthology or encyclopedia, in which the Materials in their entirety in unmodified form, along with a number of other contributions, constituting separate and independent works in themselves, are assembled into a collective whole; “**CRC License**” means the Creative Commons Attribution-Non Commercial-No Derivs 3.0 Unported Agreement, the terms and conditions of which can be found at: <http://creativecommons.org/licenses/by-nc-nd/3.0/legalcode>; “**Derivative Work**” means a work based upon the Materials or upon the Materials and other pre-existing works, such as a translation, musical arrangement, dramatization, fictionalization, motion picture version, sound recording, art reproduction, abridgment, condensation, or any other form in which the Materials may be recast, transformed, or adapted; “**Institution**” means the institution, listed on the last page of this Agreement, by which the Author was employed at the time of the creation of the Materials; “**JoVE**” means MyJoVE Corporation, a Massachusetts corporation and the publisher of *The Journal of Visualized Experiments*; “**Materials**” means the Article and / or the Video; “**Parties**” means the Author and JoVE; “**Video**” means any video(s) made by the Author, alone or in conjunction with any other parties, or by JoVE or its affiliates or agents, individually or in collaboration with the Author or any other parties, incorporating all or any portion of the Article, and in which the Author may or may not appear.

2. **Background.** The Author, who is the author of the Article, in order to ensure the dissemination and protection of the Article, desires to have the JoVE publish the Article and create and transmit videos based on the Article. In furtherance of such goals, the Parties desire to memorialize in this Agreement the respective rights of each Party in and to the Article and the Video.

3. **Grant of Rights in Article.** In consideration of JoVE agreeing to publish the Article, the Author hereby grants to JoVE, subject to **Sections 4 and 7** below, the exclusive, royalty-free, perpetual (for the full term of copyright in the Article, including any extensions thereto) license (a) to publish, reproduce, distribute, display and store the Article in all forms, formats and media whether now known or hereafter developed (including without limitation in print, digital and electronic form) throughout the world, (b) to translate the Article into other languages, create adaptations, summaries or extracts of the Article or other Derivative Works (including, without limitation, the Video) or Collective Works based on all or any portion of the Article and exercise all of the rights set forth in (a) above in such translations, adaptations, summaries, extracts, Derivative Works or Collective Works and (c) to license others to do any or all of the above. The foregoing rights may be exercised in all media and formats, whether now known or hereafter devised, and include the right to make such modifications as are technically necessary to exercise the rights in other media and formats. If the “Open Access” box has been checked in **Item 1** above, JoVE and the Author hereby grant to the public all such rights in the Article as provided in, but subject to all limitations and requirements set forth in, the CRC License.

4. **Retention of Rights in Article.** Notwithstanding the exclusive license granted to JoVE in **Section 3** above, the



## ARTICLE AND VIDEO LICENSE AGREEMENT

Author shall, with respect to the Article, retain the non-exclusive right to use all or part of the Article for the non-commercial purpose of giving lectures, presentations or teaching classes, and to post a copy of the Article on the Institution's website or the Author's personal website, in each case provided that a link to the Article on the JoVE website is provided and notice of JoVE's copyright in the Article is included. All non-copyright intellectual property rights in and to the Article, such as patent rights, shall remain with the Author.

5. Grant of Rights in Video – Standard Access. This **Section 5** applies if the "Standard Access" box has been checked in **Item 1** above or if no box has been checked in **Item 1** above. In consideration of JoVE agreeing to produce, display or otherwise assist with the Video, the Author hereby acknowledges and agrees that, Subject to **Section 7** below, JoVE is and shall be the sole and exclusive owner of all rights of any nature, including, without limitation, all copyrights, in and to the Video. To the extent that, by law, the Author is deemed, now or at any time in the future, to have any rights of any nature in or to the Video, the Author hereby disclaims all such rights and transfers all such rights to JoVE.

6. Grant of Rights in Video – Open Access. This **Section 6** applies only if the "Open Access" box has been checked in **Item 1** above. In consideration of JoVE agreeing to produce, display or otherwise assist with the Video, the Author hereby grants to JoVE, subject to **Section 7** below, the exclusive, royalty-free, perpetual (for the full term of copyright in the Article, including any extensions thereto) license (a) to publish, reproduce, distribute, display and store the Video in all forms, formats and media whether now known or hereafter developed (including without limitation in print, digital and electronic form) throughout the world, (b) to translate the Video into other languages, create adaptations, summaries or extracts of the Video or other Derivative Works or Collective Works based on all or any portion of the Video and exercise all of the rights set forth in (a) above in such translations, adaptations, summaries, extracts, Derivative Works or Collective Works and (c) to license others to do any or all of the above. The foregoing rights may be exercised in all media and formats, whether now known or hereafter devised, and include the right to make such modifications as are technically necessary to exercise the rights in other media and formats. For any Video to which this Section 6 is applicable, JoVE and the Author hereby grant to the public all such rights in the Video as provided in, but subject to all limitations and requirements set forth in, the CRC License.

7. Government Employees. If the Author is a United States government employee and the Article was prepared in the course of his or her duties as a United States government employee, as indicated in **Item 2** above, and any of the licenses or grants granted by the Author hereunder exceed the scope of the 17 U.S.C. 403, then the rights granted hereunder shall be limited to the maximum rights permitted under such statute. In such case, all provisions contained herein that are not in conflict with such statute shall remain in full force and effect, and all provisions contained herein that do so conflict

shall be deemed to be amended so as to provide to JoVE the maximum rights permissible within such statute.

8. Likeness, Privacy, Personality. The Author hereby grants JoVE the right to use the Author's name, voice, likeness, picture, photograph, image, biography and performance in any way, commercial or otherwise, in connection with the Materials and the sale, promotion and distribution thereof. The Author hereby waives any and all rights he or she may have, relating to his or her appearance in the Video or otherwise relating to the Materials, under all applicable privacy, likeness, personality or similar laws.

9. Author Warranties. The Author represents and warrants that the Article is original, that it has not been published, that the copyright interest is owned by the Author (or, if more than one author is listed at the beginning of this Agreement, by such authors collectively) and has not been assigned, licensed, or otherwise transferred to any other party. The Author represents and warrants that the author(s) listed at the top of this Agreement are the only authors of the Materials. If more than one author is listed at the top of this Agreement and if any such author has not entered into a separate Article and Video License Agreement with JoVE relating to the Materials, the Author represents and warrants that the Author has been authorized by each of the other such authors to execute this Agreement on his or her behalf and to bind him or her with respect to the terms of this Agreement as if each of them had been a party hereto as an Author. The Author warrants that the use, reproduction, distribution, public or private performance or display, and/or modification of all or any portion of the Materials does not and will not violate, infringe and/or misappropriate the patent, trademark, intellectual property or other rights of any third party. The Author represents and warrants that it has and will continue to comply with all government, institutional and other regulations, including, without limitation all institutional, laboratory, hospital, ethical, human and animal treatment, privacy, and all other rules, regulations, laws, procedures or guidelines, applicable to the Materials, and that all research involving human and animal subjects has been approved by the Author's relevant institutional review board.

10. JoVE Discretion. If the Author requests the assistance of JoVE in producing the Video in the Author's facility, the Author shall ensure that the presence of JoVE employees, agents or independent contractors is in accordance with the relevant regulations of the Author's institution. If more than one author is listed at the beginning of this Agreement, JoVE may, in its sole discretion, elect not take any action with respect to the Article until such time as it has received complete, executed Article and Video License Agreements from each such author. JoVE reserves the right, in its absolute and sole discretion and without giving any reason therefore, to accept or decline any work submitted to JoVE. JoVE and its employees, agents and independent contractors shall have full, unfettered access to the facilities of the Author or of the Author's institution as necessary to make the Video, whether actually published or not. JoVE has sole discretion as to the method of making and publishing the Materials, including,



## ARTICLE AND VIDEO LICENSE AGREEMENT

without limitation, to all decisions regarding editing, lighting, filming, timing of publication, if any, length, quality, content and the like.

11. Indemnification. The Author agrees to indemnify JoVE and/or its successors and assigns from and against any and all claims, costs, and expenses, including attorney's fees, arising out of any breach of any warranty or other representations contained herein. The Author further agrees to indemnify and hold harmless JoVE from and against any and all claims, costs, and expenses, including attorney's fees, resulting from the breach by the Author of any representation or warranty contained herein or from allegations or instances of violation of intellectual property rights, damage to the Author's or the Author's institution's facilities, fraud, libel, defamation, research, equipment, experiments, property damage, personal injury, violations of institutional, laboratory, hospital, ethical, human and animal treatment, privacy or other rules, regulations, laws, procedures or guidelines, liabilities and other losses or damages related in any way to the submission of work to JoVE, making of videos by JoVE, or publication in JoVE or elsewhere by JoVE. The Author shall be responsible for, and shall hold JoVE harmless from, damages caused by lack of sterilization, lack of cleanliness or by contamination due to the making of a video by JoVE its employees, agents or independent contractors. All sterilization, cleanliness or decontamination procedures shall be solely the responsibility of the Author and shall be undertaken at the Author's expense. All indemnifications provided herein shall include JoVE's attorney's fees and costs related to said losses or

damages. Such indemnification and holding harmless shall include such losses or damages incurred by, or in connection with, acts or omissions of JoVE, its employees, agents or independent contractors.

12. Fees. To cover the cost incurred for publication, JoVE must receive payment before production and publication the Materials. Payment is due in 21 days of invoice. Should the Materials not be published due to an editorial or production decision, these funds will be returned to the Author. Withdrawal by the Author of any submitted Materials after final peer review approval will result in a US\$1,200 fee to cover pre-production expenses incurred by JoVE. If payment is not received by the completion of filming, production and publication of the Materials will be suspended until payment is received.

13. Transfer, Governing Law. This Agreement may be assigned by JoVE and shall inure to the benefits of any of JoVE's successors and assignees. This Agreement shall be governed and construed by the internal laws of the Commonwealth of Massachusetts without giving effect to any conflict of law provision thereunder. This Agreement may be executed in counterparts, each of which shall be deemed an original, but all of which together shall be deemed to be one and the same agreement. A signed copy of this Agreement delivered by facsimile, e-mail or other means of electronic transmission shall be deemed to have the same legal effect as delivery of an original signed copy of this Agreement.

A signed copy of this document must be sent with all new submissions. Only one Agreement required per submission.

### AUTHOR:

Name:

Daniel Blustein

Department:

Marine Science Center

Institution:

Northeastern University

Article Title:

Designing and implementing nervous system simulations on LEGO robot

Signature:



Date:

11/8/12

Please submit a signed and dated copy of this license by one of the following three methods:

- 1) Upload a scanned copy as a PDF to the JoVE submission site upon manuscript submission (preferred);
- 2) Fax the document to +1.866.381.2236; or
- 3) Mail the document to JoVE / Attn: JoVE Editorial / 17 Sellers St / Cambridge, MA 02139

For questions, please email [editorial@jove.com](mailto:editorial@jove.com) or call +1.617.945.9051.

MS # (internal use):

\*Video - Low resolution ONLY (less than 50 mb)

[Click here to download Video - Low resolution ONLY \(less than 50 mb\): BlusteinJoVElores.mov](#)

JoVE50519

'Designing and implementing nervous system simulations on LEGO robots'

## **Response to reviewers**

*Daniel Blustein*

All comments were addressed with appropriate manuscript revisions.

### Reviewer 1

Minor concerns:

#1 -added explanations of parameter values in steps 3.5 and 3.6

### Reviewer 2

Minor Concerns:

#1 -added text and references about applications for bio-hybrid simulations in the introduction and discussion

#2 -added text mentioning the lobster as the animal used to demonstrate the approach in both the long abstract and introduction

#3 -section titles in manuscript changed to match video titles