

Journal of Visualized Experiments

Automated measurements of sleep and locomotor activity and Mexican cavefish --Manuscript Draft--

Article Type:	Invited Methods Collection - JoVE Produced Video
Manuscript Number:	JoVE59198R2
Full Title:	Automated measurements of sleep and locomotor activity and Mexican cavefish
Keywords:	Cavefish; Sleep; automated tracking; social behavior; circadian; zebrafish
Corresponding Author:	Alex Keene UNITED STATES
Corresponding Author's Institution:	
Corresponding Author E-Mail:	alexckeene@gmail.com
Order of Authors:	James B Jaggard Evan Lloyd Arthur Lopatto Erik R Duboue Alex Keene
Additional Information:	
Question	Response
Please indicate whether this article will be Standard Access or Open Access.	Standard Access (US\$2,400)
Please indicate the city, state/province, and country where this article will be filmed . Please do not use abbreviations.	Jupiter, FL, USA

TITLE:

Automated Measurements of Sleep and Locomotor Activity in Mexican Cavefish

AUTHORS AND AFFILIATIONS:

James B. Jaggard^{1,2}, Evan Lloyd^{1,2}, Arthur Lopatto^{2,3}, Erik R. Duboué^{2,3}, Alex C. Keene^{1,2}

¹Department of Biological Sciences, Florida Atlantic University, Jupiter, FL

²Jupiter Life Science Initiative, Florida Atlantic University, Jupiter, FL

³Harriet L. Wilkes Honors College, Florida Atlantic University, Jupiter, FL

Corresponding Author:

Alex C. Keene

KeeneA@FAU.edu

Email Addresses of Co-authors:

James B. Jaggard: jjaggard2015@fau.edu

Evan Lloyd: elloyd2015@FAU.edu

Arthur Lopatto: alopatto2016@fau.edu

Erik R. Duboue: eduboue@fau.edu

Alex C. Keene: keenea@fau.edu

KEYWORDS:

cavefish, tracking, sleep, social behavior, locomotor activity, convergent evolution

SUMMARY:

This protocol details the methodology for quantifying locomotor behavior and sleep in the Mexican cavefish. Previous analyses are extended to measure these behaviors in socially-housed fish. This system can be widely applied to study sleep and activity in other fish species.

ABSTRACT:

Across phyla, sleep is characterized by highly conserved behavioral characteristics that include elevated arousal threshold, rebound following sleep deprivation, and consolidated periods of behavioral immobility. The Mexican cavefish, *Astyanax mexicanus* (*A. mexicanus*), is a model for studying trait evolution in response to environmental perturbation. *A. mexicanus* exist as in eyed surface-dwelling forms and multiple blind cave-dwelling populations that have robust morphological and behavioral differences. Sleep loss has occurred in multiple, independently-evolved cavefish populations. This protocol describes a methodology for quantifying sleep and locomotor activity in *A. mexicanus* cave and surface fish. A cost-effective video monitoring system allows for behavioral imaging of individually-housed larval or adult fish for periods of a week or longer. The system can be applied to fish aged 4 days post fertilization through adulthood. The approach can also be adapted for measuring the effects of social interactions on sleep by recording multiple fish in a single arena. Following behavioral recordings, data is analyzed using automated tracking software and sleep analysis is processed using customized scripts that quantify multiple sleep variables including duration, bout length, and bout number.

This system can be applied to measure sleep, circadian behavior, and locomotor activity in almost any fish species including zebrafish and sticklebacks.

INTRODUCTION

Sleep is highly conserved throughout the animal kingdom at the physiological, functional, and behavioral levels¹⁻³. While sleep in mammalian laboratory animals is typically assessed using electroencephalograms, electrophysiological recordings are less practical in small genetically amenable model systems and thus sleep is typically measured based on behavior^{3,4}. Behavioral characteristics associated with sleep are highly conserved throughout the animal kingdom and include increased arousal threshold, reversibility with stimulation, and prolonged behavioral quiescence⁵. These measures can be used to characterize sleep in animals ranging from the nematode worm, *C. elegans*, through humans⁶.

The use of behavioral quiescence to characterize sleep requires automated tracking software. With tracking software, periods of activity and immobility are determined over a number of days, and long periods of inactivity are classified as sleep^{7,8}. In recent years, multiple tracking systems have been developed for acquiring activity data among a diversity of small genetically-amenable model systems; including worms, fruit flies and fish⁹⁻¹¹. These programs are accompanied by software that allows for automated tracking of animal behavior, including both open source freeware and commercially available software^{7,12-14}. These systems differ in their flexibility and allow for efficient screening and characterization of sleep phenotypes in numerous genetically amenable models.

Genetic investigation of sleep in the zebrafish, *Danio rerio*, has led to the identification of numerous genes and neural circuits that regulate sleep^{15,16}. While this has provided a powerful system for investigating the neural basis of sleep in a vertebrate laboratory animal, much less is known about how sleep evolves and how natural variation contributes to sleep regulation. The Mexican cavefish, *Astyanax mexicanus* (*A. mexicanus*), have evolved dramatic differences in sleep, locomotor activity and circadian rhythms^{17,18}. These fish exist as eyed surface fish that inhabit the rivers of Mexico and Southern Texas and at least 29 cave populations around the Sierra Del Abra region of Northeast Mexico¹⁹⁻²¹. Remarkably, many behavioral differences, including sleep loss, appear to have emerged independently in multiple cavefish populations^{14,22}. Therefore, cavefish provide a model for investigating the convergent evolution of sleep, circadian, and social behaviors.

This protocol describes a system for measuring sleep and locomotor behavior in *A. mexicanus* larvae and adults. A custom-built infrared-based recording system allows for video recording of animals under light and dark conditions. Commercially available software can be used to measure activity and custom macros are used to quantify several aspects of inactivity and determine periods of sleep. This protocol also describes experimental modifications for tracking the activity of multiple animals within a tank, providing the ability to examine interactions between sleep and social behaviors. These systems can be applied to measure sleep, circadian behavior, and locomotor activity in additional fish species including zebrafish and sticklebacks.

PROTOCOL:

NOTE: Set up systems for behavioral tracking in larvae and adults.

1. Constructing a sleep system for larvae

NOTE: The monitoring system for tracking larval through juvenile fish aged 4 days post fertilization (dpf) through 30 dpf *A. mexicanus* requires multiple pieces of equipment including infrared (IR) lighting, acrylic IR light diffusers, automated light controls (timers), computers, cameras, and secondary materials such as wiring and power controllers (**Figure 1A**). The following instructions will inform how to build a system to accurately track locomotor behavior to study sleep and circadian rhythms in larval *A. mexicanus*.

1.1 Construct a lighting system consisting of IR and white light emitting diodes (LED): Place three IR lights in a triangle approximately 7.62 cm from each other on a 30.5 cm x 30.5 cm thin metal platform heatsink. Wire lights in series with electrical wire and connect to a power source.

1.2 Place a single white light LED in the center of the three IR lights and attach them to the power source.

1.3 Connect the power source for the LED to a light timer set to a standard circadian time.

1.4 Construct a platform for larval tracking system. Use 0.33 cm thick white sign acrylic for all of the components of the platform.

1.5 Place the recording platform on top of the lighted square heatsink on which arenas containing fish will reside during behavioral tracking.

1.6 Place a second acrylic inside the box between the lights and the animals to diffuse the IR for optimal lighting and contrast.

NOTE: The dimensions for the larval light box is as follows: Two 18 cm x 8.5 cm and two 17 cm x 8.5 cm LEDs that are chemically bonded together to form an 18 cm x 18 cm square that is 8.5 cm tall. Additionally, acrylic may be easily cut or drilled using the proper tools for customized sizing.

1.6.1. Place the entire larval tracking stage and lighting setup within an enclosed plastic tube, and then position the camera on top of the tube.

NOTE: It is important to keep lighting reflections from appearing on the tracking video, as this will impair tracking accuracy. The placement of cameras on top of a tube that surrounds platform improves lighting and sharpness for the cameras that are used for these experiments.

1.7 Manipulate a webcam (see **Table of Materials**) for IR-based recording. Remove the manufacturer lens using a rotary tool (see **Table of Materials**).

1.8 Remove the small silver screws on the back sides of the camera to remove the inner housing.

1.9 Remove the small black screws inside the body of the camera to loosen the remainder of the lens. Use a small screwdriver to remove any portions of the lens housing that is left after cutting the lens.

1.10 Remove the blue LED on the top part of the charged coupled device (CCD) housing.

1.11 Put the camera back together by placing the inner housing back to its original orientation and screwing the two silver screws back to their original position.

1.12 Route the inside of the camera using a small saw to fit with a rounded plastic routing bit. Smooth down the extra plastic until it can fit a lens adapter.

1.13 Install an IR-pass filter inside the camera as close to the CCD as possible without making direct contact with the camera.

NOTE: Take care not to damage the CCD chip within the housing of the camera. Be sure to keep the cut as level as possible. Seal any open space between the outside of the IR filter and the body of the camera to keep light from reaching the CCD without being filtered.

1.14 Attach the camera to a 35 mm fixed lens (see **Table of Materials**) by screwing the adaptor in the front of the camera into the back of the lens.

1.15 Place the camera and lens in the hole drilled into the lid on top of the tube that houses the stage and lights and attach the USB to the computer the animals will be recorded from.

NOTE: Place fish in a behavior room that is separate from where stock fish are housed to ensure minimal disruptions during behavioral recordings. Take care to minimize fluctuations in temperature and ventilation which can confound behavioral experiments.

2. Sleep system for adults

2.1 Construct an IR lighting system for tracking adult fish by cutting IR strips to approximately 46 cm intervals. One 46 cm strip is sufficient for each 10 L behavior tank.

2.2 Wire each strip together in a series, soldering each strip to DC electrical wire and attach to a 9 V power source.

2.3 Attach each IR strip to a 51 cm x 5.1 cm piece of aluminum that will act as a heat sink.

2.4 Place a 46 cm x 5 cm, 0.32 cm thick 9% light-pass white sign acrylic sheet directly in front of each IR light strip to diffuse the IR light.

2.5 Place all tanks on a rack that supports rear-mounted IR lighting.

2.6 Use opaque plastic dividers in 10 L glass tanks to create individual arenas.

NOTE: The arena size can be varied based on the number of dividers used and the size of the tank. Arena size impacts locomotor activity and sleep in both cave and surface fish²³.

2.7 Mount cameras approximately 4-6 m away from tanks. Each camera can typically record from 3 tanks at a time to provide sufficient resolution for tracking.

NOTE: Adult behavioral recordings generally do not require a separate white lighting system to control day-night changes. Simply utilizing standard overhead lights in a behavioral room connected to a timer is likely to be sufficient.

3 Recording locomotor activity

NOTE: All behavioral recordings are made using a standard laptop computer or desktop with a backup battery source. Due to the large file size of a 24 h recording (60-100 GB), save all recordings on external hard drives.

3.1 Acclimate fish ages 4-30 dpf for 18-24 h prior to initiating recordings. Feed larval fish with live brine shrimp when first placed in the recording chamber, and 1 h prior to beginning the recording. Acclimate adult fish 4-5 days before recording behavior and feed once daily with flake food or with live blackworms.

NOTE: Be sure to place larval fish in fresh water prior to recording, as leftover brine shrimp will cause tracking issues during later analysis. Co-culturing with rotifers provides an alternative option, as their small size does not interfere with tracking.

3.2 Place fish aged 4-6 dpf in 24-well tissue culture plates. House fish aged 20-30 dpf in 12-well tissue culture plates for recording.

3.3 Record adults in 10 L tanks fit with dividers to accommodate five individually housed fish, or without dividers to record sleep and activity in a social setting.

NOTE: Take care to focus the camera prior to initiating the recording in order to maximize tracking accuracy. Do not open the iris of the camera lens too far, as this will drastically reduce sharpness of the image. There is a balance, however; if the iris is closed too far, the frame rate of the video will fall below 15.00 fps. It is essential for later analysis that the frame rate remains 15.00 frames per s for use with some custom-written sleep script^{23,24}.

3.4 Set lighting/brightness background illuminations.

3.5 Optimize lighting prior to the start of recording. Always keep the contrast at the highest level possible and use the **Brightness** and **Background Illumination** to adjust the brightness till the animals are most clear.

3.6 Record fish for 24 or 48 h.

NOTE: Emergency backup battery packs that power all the lighting, computers, and cameras should be purchased in case of power outages. All battery packs should also be plugged into emergency power outlets, if possible. Battery packs will generally not power the equipment for more than a few minutes to an hour at most and serve to bridge between losing main power and transferring to the emergency power system.

4. Analysis of locomotor activity in individually housed fish using automated tracking software

4.1 To begin analysis of behavior, open tracking software, select **New Experiment from Template**, then select **Apply a Pre-Defined Template**.

4.2 As the program will now ask what species to track, select **Fish**. Use the dropdown box to select either **Zebrafish Larvae** of **Zebrafish Adult** depending the experimental paradigm.

4.3 Set up the arenas in which each animal will be tracked. For larvae, select **Well Plate, Round Well** and **No Zone Template**. For adults, use **Open Field, Square** with **No Zone Template**. Then determine the proper number of arenas, one for each animal being tracked in the video.

4.4 Select the model for optimal tracking, click on track **Center-point**, and be sure that the animal color is selected to be darker than the background. Apply the frame rate at which the video was acquired. The tracking software should automatically detect this.

4.5 Draw a scale to calibrate the real-world distance of an object to accurately determine the locomotor behavior of the fish using **Arena Settings**.

4.6 Edit the arenas to make sure that the entire area that the fish are in will be tracked; otherwise samples will be lost during acquisition.

NOTE: Use care when setting up areas. Larval fish especially are sensitive to tracking errors if the arenas are either too big or small. Bad lighting in the experiment can also create shadows on the walls of well plates, which the program may think is an animal, creating a false positive.

4.6 Click on **Advanced**. Under **Method** in **Detection Setting**, select **Dynamic Subtraction**, then click on **Background** and select **Start Learning**. Adjust the dark contrast signal/noise ratio till the animals are being tracked well, and the background is not causing the tracking to jump.

NOTE: Video quality can vary between experiments, so each trial may need to use different settings, accordingly. Using the **Subject Contour** and **Subject Size** features can significantly improve tracking results.

4.7 Select Trial list and load the proper parameters before starting to record the data into the program.

4.8 Click into the **Acquisition** tab, select **Track All Planned Trials** and click on the record button.

4.9 Under **Analysis Profile**, make sure **Distance and Time & Movement** are selected.

NOTE: In order for later sleep analysis, it is critical that these settings are correct, as the .perl file must read these data in the correct order to calculate sleep.

4.10 Under Export, select **Raw Data**, export the data as Unicode text.

5. Tracking socially housed fish

5.1 Follow steps 4.1-4.4 to set up the experiment in the tracking software.

5.2 In the dropdown menu, select how many animals to track for the experiment.

5.3 In **Arena** settings, draw the correct scale to calibrate the real-world distance.

5.4 In **Detection** settings, use **Dynamic Subtraction**, and adjust the dark contrast to best track the animal.

5.5 Adjust the subject size under the detection settings, so that only a very small portion of the animal is tracked.

NOTE: By tracking only a small part of the animal, this will reduce the amount of switching between animals when they cross paths during acquisition.

5.6 Once the tracks are acquired, use the **Track Editor** to manually fix times where fish may cross paths.

6 Extraction of sleep data from locomotor activity

NOTE: The behavioral definition of sleep in both larval and adult *A. mexicanus* is 1 min or more of quiescence. This definition was determined using arousal threshold experiments, where a greater sensory stimulus is required to initiate a behavioral response in a sleeping state (>60 s) compared to waking^{14,17}. To account for small movements and drifting common to fish species,

there are velocity thresholds applied to segregate real movement from noise or drift. These thresholds are computationally-derived by comparing correlations between distance and sleep duration to find the highest R-squared values; thereby determining the most accurate velocity for movement and sleep. For larval fish, the upper and lower limits are both 12 mm/s as there is little to no drift. For adult fish the lower limit is 2 cm/s with an upper limit of 4 cm/s to account for drift.

6.1 Install Cygwin to the analysis computer to carry out the execution of the custom-written scripts to extract locomotor and sleep behavior.

6.2 Create a new experiment folder within the Cygwin home directory.

6.3 Import the raw Unicode data from tracking software and execute the .sh file in Cygwin to convert the encoding from UTF-16 to UTF-8.

6.4 Execute the .perl file in Cygwin to extract the sleep data.

6.5 Open the macro file and follow the instructions within the spreadsheet to finalize the data analysis as desired.

NOTE: A basic level of command-line coding will be necessary to carry out this portion of analysis. General Linux commands will suffice. If there are issues with the programs reading the data properly, check the data from tracking software in any freely available text editor to be sure the encoding and order is correct for the executables to write properly.

REPRESENTATIVE RESULTS

Larvae ages 4-30 dpf can be reliably recorded in the custom-build closed system described in **Figure 1**. The system includes both IR and visible lighting to allow for recordings under light and dark conditions, under various visible light conditions (**Figure 1A**). The videos are then analyzed using tracking software (**Figure 1B,C**) and post-processed using a custom sleep macro (See **Supplemental Download**). Larval fish from three independent cavefish populations display a significant reduction in sleep compared to surface fish (**Figure 1D**) and 20 dpf, and this sleep loss is consistent across developmental stages. The age of fish analyzed for sleep is often dependent on the experimental manipulation. For example, *A. mexicanus* do not consume food at 4 days, so experiments examining interactions between sleep and feeding would typically occur in older larvae²⁵. Conversely, morpholinos are only effective in early fry (typically younger than 4 dpf) so this age is used to assess sleep^{24,26,27}.

A. mexicanus can live for up to 30 years in the laboratory, but experiments using adults are typically performed in fish aged 6 months to 3 years. Fish can be recorded in a variety of tank sizes depending on the experiment and IR lighting allows for recordings during light and dark periods (**Figure 2A**). Individual arenas are labeled in tracking to allow for tracking of fish, and post-processing using a custom macro provides a readout of sleep (**Figure 2B,C**). Sleep is significantly reduced in Pachón, Molino, and Tinaja cavefish, compared to surface fish (**Figure**

2D). In addition, this system allows for recording multiple fish in a single arena (typically 10 gallon tanks), allowing for analysis of how social interactions affect sleep (Figure 2E,F). Social housing robustly reduces sleep in surface fish, without affecting sleep in Pachón cavefish (Figure 2G). The lack of effect in cavefish is likely due to a basement effect, where cavefish sleep little, particularly in the larger arenas used to examine social behavior.

FIGURE LEGENDS

Figure 1: Recording sleep behavior in larval and juvenile *A. mexicanus*. (A) Schematic of larval sleep behavior setup: Larva are placed on a platform within a light-controlled tube. Infrared and white lighting systems sit below the fish at the bottom of the tube. An IR-pass camera sits at the top of the tube and is connected to a laptop on which the video is recorded. All powered systems (lighting and laptop) are plugged in to backup power. (B) Arena settings in tracking software. Individual larvae are kept in wells in a tissue culture plate, and arenas (cyan) are made for each animal. (C) Locomotor traces of fish locomotor behavior after acquiring the data in tracking software. Red traces represent 10 s of activity in 20-day old fish. (D) Resulting sleep data from tracking software. Juvenile cavefish converge upon reduced sleep behavior compared to surface fish morphs (One-way ANOVA $F(3, 116) = 76.12$; Dunnett post-hoc analysis was applied to compare each cavefish population with surface fish, $P < 0.001$).

Figure 2: Adult *A. mexicanus* system for sleep and circadian behavior. (A) Diagram of sleep-recording system: Fish are held in tanks on a rack opposite of tracking cameras. An infrared lighting system is placed behind the fish tanks, while IR-pass cameras are attached to a laptop for recording behavior. All powered systems are plugged in to a backup battery system in case of power fluctuations. (B) Arena setup in tracking software. Individual fish are marked by creating separate arenas (cyan) to track locomotor behavior. (C) Representative locomotor tracks (red lines) of individual fish after acquiring a behavioral recording on tracking software. Traces represent 20 s of activity. (D) Total sleep duration over 24 h is significantly reduced in three distinct populations of cavefish compared to surface fish (One-way ANOVA $F(3, 106) = 52.66$; Dunnett post-hoc tests were applied between surface fish and each cave population, $P < 0.001$). (E) A single tank containing multiple fish in which one arena (orange) is made to track social interactions and sleep. (F) Locomotor traces of multiple fish after data acquisition in tracking software (each line color represents an individual fish). (G) Representative data of surface and Pachón cavefish in social sleep tracking. Surface fish significantly reduce sleep in 10 L tanks compared to 2 L arenas; Surface fish sleep is further reduced when fish are socially housed. Cavefish sleep is not significantly altered in any condition (Two-way ANOVA $F(2,46) = 4.545$; post hoc analysis was performed within each population to test the effect of the tank size and social state on total sleep 10 L single, $P = 0.013$; 10 L Social, $P = 0.0003$).

DISCUSSION:

This protocol describes a custom system for quantifying sleep and locomotor activity in larval and adult cavefish. Cavefish have emerged as a leading model for studying the evolution of sleep that can be used to investigate the genetic and neural basis of sleep regulation¹. The critical steps in this protocol include optimization of lighting and video quality in order to assure accurate

tracking that is necessary to quantify sleep. The system for acquisition and analysis described here are fully functional, as are many other systems, both commercial and custom-built, to quantify locomotion and behavior^{28–30}. The previous assay examining sleep in single fish can be extended to allow for analysis of group-housed fish. A significant consideration when troubleshooting or designing assays is the confounds social behavior may have on the sleep of an individual. For example, aggression is common in *Astyanax*, and aggression levels differ between surface fish and cavefish³¹. Optimizing the number of fish, size of the arena, and sex ratio, in order to minimize aggression will allow for reproducible measurements of sleep regulation.

A limitation of the technique, as described, is a lack of reliability following individual fish throughout the assay. Automated animal tracking will often switch animals when they come into close contact. This can be addressed by careful optimization of thresholds, or by manually correcting any switches. In addition, the system described is not a flow-through system, and therefore, water quality can become an issue after recordings lasting more than a few days. Other flow through systems have been described in zebrafish¹³ and these could be readily applied to the sty of Mexican cavefish.

The methodology described is significant because of its broad applicability to measure behavior in diverse fish species. Sleep has yet to be characterized in almost any marine or fresh water fish including Sticklebacks, Cichlids, and swordtails^{32–34}. The versatility of this system to measure sleep in *A. mexicanus* and other fish models may address diverse questions about the evolution and genetic underpinnings of sleep. The hardware associated with this system is highly cost-effective, making it highly accessible and providing potential for high throughput analysis of pharmacological and ecotoxicological analysis of sleep and locomotor activity.

DISCLOSURES:

The authors declare they have no competing interests.

ACKNOWLEDGEMENTS:

This work was supported by NIGMS award GM127872 ACK, NINDS award 105072 to ERD and ACK, and NSF award 1656574 to ACK.

REFERENCES:

1. Keene, A.C., Duboue, E.R. The origins and evolution of sleep. *The Journal of Experimental Biology*. doi: 10.1242/jeb.159533 (2018).
2. Joiner, W.J. Unraveling the Evolutionary Determinants of Sleep. *Current Biology*. **26** (20), R1073–R1087, doi: 10.1016/j.cub.2016.08.068 (2016).
3. Allada, R., Siegel, J.M. Unearthing the phylogenetic roots of sleep. *Current biology*. **18**, R670–R679, doi: 10.1016/j.cub.2008.06.033 (2008).
4. Sehgal, A., Mignot, E. Genetics of sleep and sleep disorders. *Cell*. **146**, 194–207, doi: 10.1016/j.cell.2011.07.004 (2011).
5. Campbell, S.S., Tobler, I. Animal sleep: a review of sleep duration across phylogeny. *Neuroscience and Biobehavioral Reviews*. **8**, 269–300, doi: 10.1016/0149-7634(84)90054-X (1984).

6. Raizen, D.M. et al. Lethargus is a *Caenorhabditis elegans* sleep-like state. *Nature*. **451**, 569–572, doi: 10.1038/nature07044 (2008).
7. Geissmann, Q., Rodriguez, L.G., Beckwith, E.J., French, A.S., Jamasb, A.R., Gilestro, G. Ethoscopes: An Open Platform For High-Throughput Ethomics. *bioRxiv*. 113647, doi: 10.1101/113647 (2017).
8. Garbe, D.S. et al. Context-specific comparison of sleep acquisition systems in *Drosophila*. *Biology Open*. **4** (11), doi: 10.1242/bio.013011 (2015).
9. Branson, K., Robie, A.A., Bender, J., Perona, P., Dickinson, M.H. High-throughput ethomics in large groups of *Drosophila*. *Nature Methods*. **6** (6), 451–457, doi: 10.1038/nmeth.1328 (2009).
10. Gilestro, G.F., Cirelli, C. PySolo: A complete suite for sleep analysis in *Drosophila*. *Bioinformatics*. **25**, 1466–1467, doi: 10.1093/bioinformatics/btp237 (2009).
11. Swierczek, N.A., Giles, A.C., Rankin, C.H., Kerr, R.A. High-throughput behavioral analysis in *C. elegans*. *Nature Methods*. **8** (7), 592–598, doi: 10.1038/nmeth.1625 (2011).
12. Branson, K., Robie, A.A., Bender, J., Perona, P., Dickinson, M.H. High-throughput ethomics in large groups of *Drosophila*. *Nature Methods*. **6**, 451–457, doi: 10.1038/nmeth.1328 (2009).
13. Rihel, J. et al. Zebrafish behavioral profiling links drugs to biological targets and rest/wake regulation. *Science (New York, N.Y.)*. **327**, 348–351, doi: 10.1126/science.1183090 (2010).
14. Yoshizawa, M. et al. Distinct genetic architecture underlies the emergence of sleep loss and prey-seeking behavior in the Mexican cavefish. *BMC Biology*. **13**, doi: 10.1186/s12915-015-0119-3 (2015).
15. Chiu, C.N., Prober, D. a Regulation of zebrafish sleep and arousal states: current and prospective approaches. *Frontiers in Neural Circuits*. **7** (April), 58, doi: 10.3389/fncir.2013.00058 (2013).
16. Elbaz, I., Foulkes, N.S., Gothilf, Y., Appelbaum, L. Circadian clocks, rhythmic synaptic plasticity and the sleep-wake cycle in zebrafish. *Frontiers in Neural Circuits*. **7**, doi: 10.3389/fncir.2013.00009 (2013).
17. Duboué, E.R., Keene, A.C., Borowsky, R.L. Evolutionary convergence on sleep loss in cavefish populations. *Current Biology*. **21**, 671–676, doi: 10.1016/j.cub.2011.03.020 (2011).
18. Beale, A. et al. Circadian rhythms in Mexican blind cavefish *Astyanax mexicanus* in the lab and in the field. *Nature Communications*. **4**, 2769, doi: 10.1038/ncomms3769 (2013).
19. Keene, A.C., Yoshizawa, M., McGaugh, S.E. *Biology and Evolution of the Mexican Cavefish*. *Biology and Evolution of the Mexican Cavefish*. doi: 10.1016/C2014-0-01426-8. (2015).
20. Jeffery, W.R. Regressive evolution in *Astyanax* cavefish. *Annual Review of Genetics*. **43**, 25–47, doi: 10.1146/annurev-genet-102108-134216 (2009).
21. Gross, J.B. The complex origin of *Astyanax* cavefish. *BMC Evolutionary Biology*. **12**, 105 doi:10.1186/1471-2148-12-105, doi: 10.1186/1471-2148-12-105 (2012).
22. Aspiras, A., Rohner, N., Marineau, B., Borowsky, R., Tabin, J. Melanocortin 4 receptor mutations contribute to the adaptation of cavefish to nutrient-poor conditions. *Proceedings of the National Academy of Sciences*. **112** (31), 9688–73 (2015).
23. Jaggard, J. et al. The lateral line confers evolutionarily derived sleep loss in the Mexican cavefish. *Journal of Experimental Biology*. **220** (2), doi: 10.1242/jeb.145128 (2017).
24. Jaggard, J.B., Stahl, B.A., Lloyd, E., Prober, D.A., Duboue, E.R., Keene, A.C. Hypocretin underlies the evolution of sleep loss in the Mexican cavefish. *eLife*. e32637, doi: 10.1101/122903 (2018).

25. Hinaux, H. et al. A Developmental Staging Table for *Astyanax mexicanus* Surface Fish and Pachon Cavefish. *Zebrafish*. **8** (4), 155–165, doi: 10.1089/zeb.2011.0713 (2011).
26. Bill, B.R., Petzold, A.M., Clark, K.J., Schimmenti, L. a, Ekker, S.C. A primer for morpholino use in zebrafish. *Zebrafish*. **6** (1), 69–77, doi: 10.1089/zeb.2008.0555 (2009).
27. Bilandzija, H., Ma, L., Parkhurst, A., Jeffery, W. A potential benefit of albinism in *Astyanax* cavefish: downregulation of the *oca2* gene increases tyrosine and catecholamine levels as an alternative to melanin synthesis. *Plos One*. **8** (11), e80823 (2013).
28. Yokogawa, T. et al. Characterization of sleep in zebrafish and insomnia in hypocretin receptor mutants. *PLoS Biology*. **5**, 2379–2397, doi: 10.1371/journal.pbio.0050277 (2007).
29. Appelbaum, L. et al. Sleep-wake regulation and hypocretin-melatonin interaction in zebrafish. *Proceedings of the National Academy of Sciences of the United States of America*. **106**, 21942–21947, doi: 10.1073/pnas.906637106 (2009).
30. Singh, C., Oikonomou, G., Prober, D.A. Norepinephrine is required to promote wakefulness and for hypocretin-induced arousal in zebrafish. *eLife*. **4** (September), doi: 10.7554/eLife.07000.001 (2015).
31. Elipot, Y., Hinaux, H., Callebert, J., Rétaux, S. Evolutionary shift from fighting to foraging in blind cavefish through changes in the serotonin network. *Current Biology*. **23** (1), 1–10, doi: 10.1016/j.cub.2012.10.044 (2013).
32. Bell, M.A., Foster, S.A. *The evolutionary biology of the threespine stickleback*. Oxford University Press. **584**, at <<http://books.google.com/books?hl=de&lr=&id=uxCOLN-Z3FIC&pgis=1>>. (1994).
33. Seehausen, O. African cichlid fish: a model system in adaptive radiation research. *Proceedings of Biological Sciences/The Royal Society*. **273** (1597), 1987–1998, doi: 10.1098/rspb.2006.3539 (2006).
34. Basolo, A.L. Female preference predates the evolution of the sword in swordtail fish. *Science*. **250**, 808–810, doi: 10.1126/science.250.4982.808 (1990).










Figure 2

[Click here to access/download;Figure;jovefigS_11-13-18png_Fig2.pdf](#)



Name of material/Equipment

- 12V power adaptor
- Acrylic dividers (adults)
- Adult infrared light power source
- Battery pack
- Camera lens (adult)
- Camera lens (larval)
- Camera lens adapter
- Camera mount
- Fish tank
- Heat sink (adult)
- Heat sink (larval)
- Infrared lights (adults)
- Infrared lights (larval)
- IR-diffusing acrylic
- Laptop/computer
- LED light
- light timer
- Plastic wall mount for IR
- Power cable
- Power source
- Tissue culture plates
- Tripod Ball head
- USB Hardrive
- USB Webcam
- Wall mount for camera

Company

Environmental Lights

TAP Plastic

Environmental Lights 24 Watt 12 VDC Power Supply

CyberPower

Navitar Zoom 7000

Fujian 35mm f/1.7

d

CowboyStudio Super Clamp

Deep Blue Professional

M-D Building products

M-D Building products

Environmental Lights Infrared 850 nm 5050 LED strip

LED World

TAP Plastic

N/A

Chanzon 10 High Power Led Chip 3W White (6000K-6500K/600mA-700mA/DC 3V-3.4V/3 Watt)

Century 24 Hour Plug-in Mechanical Timer Grounded

Everbilt Plastic pegboard

BNTECHGO 22 Gauge Silicone Wire

Rapid LED

Fisherbrand

Demon DB-44

Seagate 3TB backup

Microsoft LifeCam

LDR Industries 1/2" Steel pipe

Catologue #

24 Watt 12 VDC Power Supply

CP850PFCLCD

Zoom 7000

B01CHX7668

1524219

B002LV7X1K

ADB11006

SKU: 61085

SKU: 57000

irrf850-5050-60-reel

B00MO9H7H4

N/A

B06XKTRSP7

Model # 17961

B01K4RPE0Y

MOONLIGHT DRIVER (350MA)

12-well (FB012928) 24-well (FB012929)

B00TQ54CZO

STD3000100

Q2F-00014

307 12X36

Comments/Description

Order sheets in sizes as needed

Purchase on Amazon

Purchase on Amazon

Cut to fit

Cut to fit

Cut to fit

Purchase on Amazon

Order sheets in sizes as needed

Any laptop will work.

Use with Chanzon 25pcs 1W 3W 5W LED Heat Sink (2 pin Black) Aluminum Base Plate Panel

Purchase on Amazon

Purchase on Amazon

Mounted on wall with Flange and 90 degree pipe elbow. Could also use a tripod to hold camera.



1 Alewife Center #200
Cambridge, MA 02140
tel. 617.945.9051
www.jove.com

ARTICLE AND VIDEO LICENSE AGREEMENT

Title of Article:

Automated measurements of sleep and locomotor activity

in Mice
Cavalieri

Author(s):

Tuggerd, Ugo, Lopatto, Dubay, Kelle

Item 1 (check one box): The Author elects to have the Materials be made available (as described at

<http://www.jove.com/author>) via: ☒ Standard Access ☐ Open Access

Item 2 (check one box):



The Author is NOT a United States government employee.



The Author is a United States government employee and the Materials were prepared in the course of his or her duties as a United States government employee.



The Author is a United States government employee but the Materials were NOT prepared in the course of his or her duties as a United States government employee.

ARTICLE AND VIDEO LICENSE AGREEMENT

1. **Defined Terms.** As used in this Article and Video License Agreement, the following terms shall have the following meanings: **"Agreement"** means this Article and Video License Agreement; **"Article"** means the article specified on the last page of this Agreement, including any associated materials such as texts, figures, tables, artwork, abstracts, or summaries contained therein; **"Author"** means the author who is a signatory to this Agreement; **"Collective Work"** means a work, such as a periodical issue, anthology or encyclopedia, in which the Materials in their entirety in unmodified form, along with a number of other contributions, constituting separate and independent works in themselves, are assembled into a collective whole; **"CRC License"** means the Creative Commons Attribution-Non Commercial-No Derivs 3.0 Unported Agreement, the terms and conditions of which can be found at:

<http://creativecommons.org/licenses/by-nc-nd/3.0/legalcode>;

"Derivative Work" means a work based upon the Materials or upon the Materials and other pre-existing works, such as a translation, musical arrangement, dramatization, fictionalization, motion picture version, sound recording, art reproduction, abridgment, condensation, or any other form in which the Materials may be recast, transformed, or adapted; **"Institution"** means the institution, listed on the last page of this Agreement, by which the Author was employed at the time of the creation of the Materials; **"JoVE"** means MyJoVE Corporation, a Massachusetts corporation and the publisher of *The Journal of Visualized Experiments*; **"Materials"** means the Article and / or the Video; **"Parties"** means the Author and JoVE; **"Video"** means any video(s) made by the Author, alone or in conjunction with any other parties, or by JoVE or its affiliates or agents, individually or in collaboration with the Author or any other parties, incorporating all or any portion of the Article, and in which the Author may or may not appear.

2. **Background.** The Author, who is the author of the Article, in order to ensure the dissemination and protection of the Article, desires to have the JoVE publish the Article and create and transmit videos based on the Article. In furtherance of such goals, the Parties desire to memorialize in this Agreement the respective rights of each Party in and to the Article and the Video.

3. **Grant of Rights in Article.** In consideration of JoVE agreeing to publish the Article, the Author hereby grants to JoVE, subject to **Sections 4 and 7** below, the exclusive, royalty-free, perpetual (for the full term of copyright in the Article, including any extensions thereto) license (a) to publish, reproduce, distribute, display and store the Article in all forms, formats and media whether now known or hereafter developed (including without limitation in print, digital and electronic form) throughout the world, (b) to translate the Article into other languages, create adaptations, summaries or extracts of the Article or other Derivative Works (including, without limitation, the Video) or Collective Works based on all or any portion of the Article and exercise all of the rights set forth in (a) above in such translations, adaptations, summaries, extracts, Derivative Works or Collective Works and (c) to license others to do any or all of the above. The foregoing rights may be exercised in all media and formats, whether now known or hereafter devised, and include the right to make such modifications as are technically necessary to exercise the rights in other media and formats. If the "Open Access" box has been checked in **Item 1** above, JoVE and the Author hereby grant to the public all such rights in the Article as provided in, but subject to all limitations and requirements set forth in, the CRC License.

ARTICLE AND VIDEO LICENSE AGREEMENT

4. **Retention of Rights in Article.** Notwithstanding the exclusive license granted to JoVE in **Section 3** above, the Author shall, with respect to the Article, retain the non-exclusive right to use all or part of the Article for the non-commercial purpose of giving lectures, presentations or teaching classes, and to post a copy of the Article on the Institution's website or the Author's personal website, in each case provided that a link to the Article on the JoVE website is provided and notice of JoVE's copyright in the Article is included. All non-copyright intellectual property rights in and to the Article, such as patent rights, shall remain with the Author.

5. **Grant of Rights in Video – Standard Access.** This **Section 5** applies if the "Standard Access" box has been checked in **Item 1** above or if no box has been checked in **Item 1** above. In consideration of JoVE agreeing to produce, display or otherwise assist with the Video, the Author hereby acknowledges and agrees that, Subject to **Section 7** below, JoVE is and shall be the sole and exclusive owner of all rights of any nature, including, without limitation, all copyrights, in and to the Video. To the extent that, by law, the Author is deemed, now or at any time in the future, to have any rights of any nature in or to the Video, the Author hereby disclaims all such rights and transfers all such rights to JoVE.

6. **Grant of Rights in Video – Open Access.** This **Section 6** applies only if the "Open Access" box has been checked in **Item 1** above. In consideration of JoVE agreeing to produce, display or otherwise assist with the Video, the Author hereby grants to JoVE, subject to **Section 7** below, the exclusive, royalty-free, perpetual (for the full term of copyright in the Article, including any extensions thereto) license (a) to publish, reproduce, distribute, display and store the Video in all forms, formats and media whether now known or hereafter developed (including without limitation in print, digital and electronic form) throughout the world, (b) to translate the Video into other languages, create adaptations, summaries or extracts of the Video or other Derivative Works or Collective Works based on all or any portion of the Video and exercise all of the rights set forth in (a) above in such translations, adaptations, summaries, extracts, Derivative Works or Collective Works and (c) to license others to do any or all of the above. The foregoing rights may be exercised in all media and formats, whether now known or hereafter devised, and include the right to make such modifications as are technically necessary to exercise the rights in other media and formats. For any Video to which this Section 6 is applicable, JoVE and the Author hereby grant to the public all such rights in the Video as provided in, but subject to all limitations and requirements set forth in, the CRC License.

7. **Government Employees.** If the Author is a United States government employee and the Article was prepared in the course of his or her duties as a United States government employee, as indicated in **Item 2** above, and any of the licenses or grants granted by the Author hereunder exceed the scope of the 17 U.S.C. 403, then the rights granted hereunder shall be limited to the maximum rights permitted under such

statute. In such case, all provisions contained herein that are not in conflict with such statute shall remain in full force and effect, and all provisions contained herein that do so conflict shall be deemed to be amended so as to provide to JoVE the maximum rights permissible within such statute.

8. **Likeness, Privacy, Personality.** The Author hereby grants JoVE the right to use the Author's name, voice, likeness, picture, photograph, image, biography and performance in any way, commercial or otherwise, in connection with the Materials and the sale, promotion and distribution thereof. The Author hereby waives any and all rights he or she may have, relating to his or her appearance in the Video or otherwise relating to the Materials, under all applicable privacy, likeness, personality or similar laws.

9. **Author Warranties.** The Author represents and warrants that the Article is original, that it has not been published, that the copyright interest is owned by the Author (or, if more than one author is listed at the beginning of this Agreement, by such authors collectively) and has not been assigned, licensed, or otherwise transferred to any other party. The Author represents and warrants that the author(s) listed at the top of this Agreement are the only authors of the Materials. If more than one author is listed at the top of this Agreement and if any such author has not entered into a separate Article and Video License Agreement with JoVE relating to the Materials, the Author represents and warrants that the Author has been authorized by each of the other such authors to execute this Agreement on his or her behalf and to bind him or her with respect to the terms of this Agreement as if each of them had been a party hereto as an Author. The Author warrants that the use, reproduction, distribution, public or private performance or display, and/or modification of all or any portion of the Materials does not and will not violate, infringe and/or misappropriate the patent, trademark, intellectual property or other rights of any third party. The Author represents and warrants that it has and will continue to comply with all government, institutional and other regulations, including, without limitation all institutional, laboratory, hospital, ethical, human and animal treatment, privacy, and all other rules, regulations, laws, procedures or guidelines, applicable to the Materials, and that all research involving human and animal subjects has been approved by the Author's relevant institutional review board.

10. **JoVE Discretion.** If the Author requests the assistance of JoVE in producing the Video in the Author's facility, the Author shall ensure that the presence of JoVE employees, agents or independent contractors is in accordance with the relevant regulations of the Author's institution. If more than one author is listed at the beginning of this Agreement, JoVE may, in its sole discretion, elect not take any action with respect to the Article until such time as it has received complete, executed Article and Video License Agreements from each such author. JoVE reserves the right, in its absolute and sole discretion and without giving any reason therefore, to accept or decline any work submitted to JoVE. JoVE and its employees, agents and independent contractors shall have

ARTICLE AND VIDEO LICENSE AGREEMENT

full, unfettered access to the facilities of the Author or of the Author's institution as necessary to make the Video, whether actually published or not. JoVE has sole discretion as to the method of making and publishing the Materials, including, without limitation, to all decisions regarding editing, lighting, filming, timing of publication, if any, length, quality, content and the like.

11. **Indemnification.** The Author agrees to indemnify JoVE and/or its successors and assigns from and against any and all claims, costs, and expenses, including attorney's fees, arising out of any breach of any warranty or other representations contained herein. The Author further agrees to indemnify and hold harmless JoVE from and against any and all claims, costs, and expenses, including attorney's fees, resulting from the breach by the Author of any representation or warranty contained herein or from allegations or instances of violation of intellectual property rights, damage to the Author's or the Author's institution's facilities, fraud, libel, defamation, research, equipment, experiments, property damage, personal injury, violations of institutional, laboratory, hospital, ethical, human and animal treatment, privacy or other rules, regulations, laws, procedures or guidelines, liabilities and other losses or damages related in any way to the submission of work to JoVE, making of videos by JoVE, or publication in JoVE or elsewhere by JoVE. The Author shall be responsible for, and shall hold JoVE harmless from, damages caused by lack of sterilization, lack of cleanliness or by contamination due to the making of a video by JoVE its employees, agents or independent contractors. All sterilization, cleanliness or decontamination procedures shall be solely the responsibility of the Author and shall be undertaken at the Author's

expense. All indemnifications provided herein shall include JoVE's attorney's fees and costs related to said losses or damages. Such indemnification and holding harmless shall include such losses or damages incurred by, or in connection with, acts or omissions of JoVE, its employees, agents or independent contractors.

12. **Fees.** To cover the cost incurred for publication, JoVE must receive payment before production and publication the Materials. Payment is due in 21 days of invoice. Should the Materials not be published due to an editorial or production decision, these funds will be returned to the Author. Withdrawal by the Author of any submitted Materials after final peer review approval will result in a US\$1,200 fee to cover pre-production expenses incurred by JoVE. If payment is not received by the completion of filming, production and publication of the Materials will be suspended until payment is received.

13. **Transfer, Governing Law.** This Agreement may be assigned by JoVE and shall inure to the benefits of any of JoVE's successors and assignees. This Agreement shall be governed and construed by the internal laws of the Commonwealth of Massachusetts without giving effect to any conflict of law provision thereunder. This Agreement may be executed in counterparts, each of which shall be deemed an original, but all of which together shall be deemed to be one and the same agreement. A signed copy of this Agreement delivered by facsimile, e-mail or other means of electronic transmission shall be deemed to have the same legal effect as delivery of an original signed copy of this Agreement.

A signed copy of this document must be sent with all new submissions. Only one Agreement required per submission.

CORRESPONDING AUTHOR:

Name: Alex Keene
Department: Biological Sciences
Institution: Florida Atlantic University
Article Title: Automated measurements of sleep and locomotor activity in Mexican
Canaries
Signature: [Signature] Date: 6/8/18

Please submit a signed and dated copy of this license by one of the following three methods:

- 1) Upload a scanned copy of the document as a pdf on the JoVE submission site;
- 2) Fax the document to +1.866.381.2236;
- 3) Mail the document to JoVE / Attn: JoVE Editorial / 1 Alewife Center #200 / Cambridge, MA 02139

For questions, please email submissions@jove.com or call +1.617.945.9051

Response to reviewers

We thank both reviewers and Dr. Wu for careful reading and thoughtful critiques of our manuscript. We agree with all suggestions and have made modified our revised manuscript accordingly. In addition to the editorial reviews, which we hope to have fully addressed, we provide a point-by-point response to both reviewers below.

Reviewer #1:

Manuscript Summary:

Authors described a video monitoring system to investigate sleep and locomotor activity in *A. mexicanus* cave and surface fish. The system can be applied to fish aged four days post fertilization through adulthood in almost any fish species to measure different behaviors as sleep and locomotor activity in different lighting conditions.

I found the paper well-written and I haven't major concerns. Only some minor concerns:

1) I suggest to report all measures also in centimeters and not only in inches. It will avoid to convert every times the measures.

Thank you for this suggestion. We have made these changes.

2) in the abstract and in the introduction authors wrote "This system can be applied to measure sleep, circadian behavior, and locomotor activity in almost any fish species including zebrafish and sticklebacks." I suggest to change this sentence to "...in almost any marine and freshwater fish species." to cover all possibilities.

We have now added that it can be used in any fish species. However, we chose to leave in discussion of specific species like sticklebacks (and other fish models of evolution) because we think the study of sleep in this system is a wide-open area, and we hope to gain the attention of these fields.

3) Are zebrafish and *A. mexicanus* the only two fish species in which sleep has been investigated? If not I suggest to report this(these) reference(s) in the introduction.

Surprisingly, to our knowledge this is the case. 'Rest' has been studied in other species, but a full characterization of sleep processes has yet to be completed. We are very eager to see sleep studied in additional sleep models, and hope this protocol contributes to this.

4) In the discussion I suggest to mention that this system can be used also for pharmacological and ecotoxicological tests.

Thank you for this suggestion. We have rewritt the discussion (based on editorial suggestions) and incorporated this commentary.

Reviewer #2:

Manuscript Summary:

This is an important manuscript that will enable many researchers to conduct such experiments on many species because the commercial apparatuses are very expensive and not every lab can afford them.

Major Concerns:

1. I might have missed it, but how is sleep defined? Usually it is the duration of immobility and threshold to a stimuli. If so, does each strain of cavefish has its own criteria? This information has to be added.

We now include discussion defining sleep as 60-seconds of immobility in larval and adult fish, in accordance with our previously published work.

2. For a biologist to build the apparatus according to the textual description would be impossible. The video is really required and I would be willing to review again with the video.

We agree and will do everything we can to clearly demonstrate the system by video. We have received many requests about our system, and we think video (and this JOVE article) provides the perfect format to share this protocol.

Minor Concerns:

1. dimensions should be given in metric measures. inch and feet and also be given in parenthesis. 2. the last 3 pages of the pdf file should be, i guess, one table?

Thank you for this suggestion. We have made the changes accordingly.