



a

	P	MV	SV	AE	ER		MV	SV	AE	ER
	①	18.88		0.18			1.00		0.00	
		18.96		0.10			1.00		0.00	
		18.82	19.06	0.24	[0.1, 0.26]	④	1.00	1.00	0.00	[0.00, 0.00]
		18.80		0.22			1.00		0.00	
		18.84		0.26			1.00		0.00	
	②	15.92		0.59			4.00		0.20	
		15.84		0.51			3.98		0.18	
		15.82	15.33	0.49	[0.49, 0.59]	⑤	3.94	3.80	0.14	[0.14, 0.20]
		15.88		0.55			3.96		0.16	
		15.90		0.57			3.94		0.14	
	③	5.08		0.08			12.90		0.10	
		5.04		0.04			12.98		0.02	
		5.00	5.00	0.00	[0.00, 0.14]	⑥	12.96	13.00	0.04	[0.02, 0.10]
		5.14		0.14			12.96		0.04	
		5.08		0.08			12.94		0.06	

b

	P	MV	SV	AE	ER		MV	SV	AE	ER
	①	13.64		0.16			4.08		0.08	
		13.72		0.08			4.00		0.00	
		13.62	13.80	0.18	[0.08, 0.26]	④	4.04	4.00	0.04	[0.00, 0.08]
		13.70		0.10			4.06		0.06	
		13.54		0.26			4.08		0.08	
	②	12.80		0.15			1.00		0.00	
		12.82		0.13			1.00		0.00	
		12.96	12.95	0.01	[0.01, 0.19]	⑤	0.96	1.00	0.04	[0.04, 0.08]
		12.86		0.09			1.08		0.08	
		12.76		0.19			1.00		0.00	
	③	9.58		0.42			1.00		0.00	
		9.82		0.28			1.00		0.00	
		9.90	10.00	0.10	[0.00, 0.42]	⑥	1.02	1.00	0.02	[0.00, 0.02]
		9.88		0.02			1.06		0.06	
		10.00		0.00			0.98		0.02	