

Betreff: Fwd: Request for MSD image in article
Von: "Duerr, Mark" <MDuerr@meso-scale.com>
Datum: 08/01/2020, 18:11
An: Hannes Steinkellner <hannes.steinkellner@meduniwien.ac.at>

Hi Hannes,

Weiter unten findest Du die Antwort unseres Legal Departments zu Deinem Bild. Ich hoffe, das Statement reicht aus.

Lg
Mark

Dr. Mark Dürr

Regional Manager, Field Applications – Central Europe

Office: +49 9156 927147<tel:+49%209156%20927147>
Mobile: +49 151 1169 1744<tel:+49%20151%201169%201744>
mduerr@mesoscale.com<<mailto:mduerr@mesoscale.com>>

MSD Customer Service: customerservice@mesoscale.com<<mailto:customerservice@mesoscale.com>>
MSD Scientific Support:
scientificsupport@mesoscale.com<<mailto:scientificsupport@mesoscale.com>>

Website: www.mesoscale.com<blocked::http://www.mesoscale.com/>
1601 Research Boulevard . Rockville, MD 20850-3126<x-apple-data-detectors://7/0> . USA
Main Telephone: +1.240.314.2600<tel:+1.240.314.2600>

Anfang der weitergeleiteten Nachricht:

Von: "Duncan, Nicholas" <nduncan@meso-scale.com>
Datum: 27. November 2019 um 14:09:11 GMT-5
An: "Duerr, Mark" <MDuerr@meso-scale.com>
Kopie: "Beterams, Gertrud" <GBeterams@meso-scale.com>
Betreff: RE: Request for MSD image in article

Hi Mark,

Received confirmation if the customer is utilizing the attached hand drawn graphic an agreement is not required. Please let me know if the use of our image will be required for initiating the agreement request and we will need the final draft of the paper for review.

Thank you,

Nick

From: Duerr, Mark <MDuerr@meso-scale.com>
Sent: Monday, November 25, 2019 5:11 AM
To: Duncan, Nicholas <nduncan@meso-scale.com>
Cc: Beterams, Gertrud <GBeterams@meso-scale.com>
Subject: RE: Request for MSD image in article

Hi Nick,

Please find attached the final version of the self-drawn graphic from Hannes Steinkellner. Please let us know, if he can use the graphic.

Thanks
Mark

From: Duerr, Mark
Sent: Thursday, November 21, 2019 17:44
To: Duncan, Nicholas <nduncan@meso-scale.com<<mailto:nduncan@meso-scale.com>>>
Subject: RE: Request for MSD image in article

Hi Nick,

1. The specific corporate name (entity) that the license will be issued?

Medical University of Vienna

2. The complete address?
Währingerstrasse 10, Inst of Medical Genetics
1090 Vienna

AT

3. Title of the article: Development and Validation of an Electrochemiluminescence Based Assay for MeCP2 Protein Variants (original publication attached)

4. Expected due date?

Monday, Nov 25th (next Monday)

5. Confirm the paper provide is in its final form for review for executing the agreement?

Final version is not yet done.

My customer would like to know, if he could use his own drawing instead of using our picture, and if this would also need approval. I attached his drawing to this email. Please let me know, if that can be used (maybe without official approval process).

Thanks
Mark

Office Location

Mailing Address
Währingerstrasse 10, Inst of Medical Genetics
1090 Vienna
AT

Dr. Mark Dürr

Regional Manager, Field Applications - Central Europe

Office: +49 9156 927147
Mobile: +49 151 1169 1744
mduerr@mesoscale.com<<mailto:mduerr@mesoscale.com>>

=====

This electronic message transmission and any attachments are confidential and/or proprietary and may constitute legally privileged information of Meso Scale Diagnostics, LLC. The information is intended for solely the use of Hannes Steinkellner hannes.steinkellner@meduniwien.ac.at. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or the taking of any action in reliance of this information is strictly prohibited. You are not authorized to retain it in any form nor to re-transmit it, and you should destroy this email immediately.

If you have received this electronic transmission in error, please notify us by telephone (240-314-2600) or by electronic mail to the sender of this email, "Duerr, Mark" MDuerr@meso-scale.com, immediately.

=====

— image001.png —



— image002.png —



— Anhänge: —

image001.png	13.1 KB
ATT00001.htm	2.2 KB
image002.png	10.8 KB
ATT00002.htm	5.3 KB
Figure 1.pdf	203 KB
ATT00003.htm	189 Bytes