Journal of Visualized Experiments MRI based toolbox for neurosurgical planning in non-human primates --Manuscript Draft--

Article Type:	Invited Methods Article - JoVE Produced Video		
Manuscript Number:	JoVE61098R2		
Full Title:	MRI based toolbox for neurosurgical planning in non-human primates		
Section/Category:	JoVE Bioengineering		
Keywords:	Non-human Primates, Magnetic Resonance Imaging, Neurosurgical Planning, 3D Printing, Viral Vector Delivery, Optogenetics		
Corresponding Author:	Azadeh Yazdan-Shahmorad University of Washington Seattle, Washington UNITED STATES		
Corresponding Author's Institution:	University of Washington		
Corresponding Author E-Mail:	azadehy@uw.edu		
Order of Authors:	William K.S. Ojemann		
	Devon J Griggs		
	Zachary lp		
	Olivya Caballero		
	Hesamoddin Jahanian		
	Susana Martinez-Conde		
	Stephen Macknik		
	Azadeh Yazdan-Shahmorad		
Additional Information:			
Question	Response		
Please indicate whether this article will be Standard Access or Open Access.	Standard Access (US\$2,400)		
Please indicate the city, state/province, and country where this article will be filmed. Please do not use abbreviations.	Seattle, Washington, US		

1 TITLE:

A MRI-Based Toolbox for Neurosurgical Planning in Nonhuman Primates

2 3 4

AUTHORS AND AFFILIATIONS:

- 5 William K. S. Ojemann^{1,2}, Devon J. Griggs^{2,3}, Zachary Ip^{1,2}, Olivya Caballero⁴, Hesamoddin
- 6 Jahanian⁵, Susana Martinez-Conde⁴, Stephen Macknik⁴, Azadeh Yazdan-Shahmorad^{1,2,3}

7

- 8 ¹Bioengineering Department, University of Washington, Seattle, WA, USA
- 9 ²Washington National Primate Research Center, University of Washington, Seattle, WA, USA
- 10 ³Electrical and Computer Engineering Department, University of Washington, Seattle, WA, USA
- ⁴Department of Ophthalmology, SUNY Downstate Health Sciences University, Brooklyn, NY, USA
- 12 ⁵Radiology Department, University of Washington, Seattle, WA, USA

13

14 Corresponding Author:

15 Azadeh Yazdan-Shahmorad (azadehy@uw.edu)

16

17 Email Addresses of Co-Authors:

- 18 William K. S. Ojemann (wojemann@uw.edu)
- 19 Devon J. Griggs (djgriggs@uw.edu)
- 20 Zachary Ip (ipzach@uw.edu)
- 21 Olivya Caballero (Olivya.Caballero@downstate.edu)
- 22 Hesamoddin Jahanian (hesamj@uw.edu)
- 23 Susana Martinez-Conde (smart@neuralcorrelate.com)
- 24 Stephen Macknik (Stephen.Macknik@downstate.edu)

2526

27

KEYWORDS:

nonhuman primates, magnetic resonance imaging, neurosurgical planning, 3D printing, viral vector delivery, optogenetics

28 29 30

31

32

SUMMARY:

The method outlined below aims to provide a comprehensive protocol for the preparation of nonhuman primate (NHP) neurosurgery using a novel combination of three-dimensional (3D) printing methods and MRI data extraction.

33 34 35

ABSTRACT:

- 36 In this paper, we outline a method for surgical preparation that allows for the practical planning
- of a variety of neurosurgeries in NHPs solely using data extracted from magnetic resonance imaging (MRI). This protocol allows for the generation of 3D printed anatomically accurate
- imaging (MRI). This protocol allows for the generation of 3D printed anatomically accurate physical models of the brain and skull, as well as an agarose gel model of the brain modeling
- 40 some of the mechanical properties of the brain. These models can be extracted from MRI using
- brain extraction software for the model of the brain, and custom code for the model of the skull.
- 42 The preparation protocol takes advantage of state-of-the-art 3D printing technology to make
- 43 interfacing brains, skulls, and molds for gel brain models. The skull and brain models can be used
- 44 to visualize brain tissue inside the skull with the addition of a craniotomy in the custom code,

allowing for better preparation for surgeries directly involving the brain. The applications of these methods are designed for surgeries involved in neurological stimulation and recording as well as injection, but the versatility of the system allows for future expansion of the protocol, extraction techniques, and models to a wider scope of surgeries.

INTRODUCTION:

Primate research has been a pivotal step in the progression of medical research from animal models to human trials^{1,2}. This is especially so in the study of neuroscience and neural engineering as there is a large physiological and anatomical discrepancy between rodent brains and those of nonhuman primates (NHP)¹⁻³. With emerging genetic technologies such as chemogenetics, optogenetics, and calcium imaging that require genetic modification of neurons, neural engineering research studying neural function in NHP's has gained special attention as a preclinical model for understanding brain function^{2,4-16}. In most NHP neuroscience experiments, neurosurgical measures are required for the implantation of various devices such as head posts, stimulation and recording chambers, electrode arrays and optical windows^{4-7,10,11,13-15,17,18}.

Current NHP labs use a variety of methods that often include ineffective practices including sedating the animal to fit the legs of a head post and approximate the curvature of the skull around the craniotomy site. Other labs fit the head post to the skull in surgery or employ more advanced methods of gaining the necessary measurements for implantation like analyzing an NHP brain atlas and magnetic resonance (MR) scans to try to estimate skull curvatures^{2,10,11,16}. Neurosurgeries in NHPs also involve fluid injections, and labs often have no way to visualize the projected injection location within the brain^{2,4,5,13,14} relying solely on stereotaxic measurements and comparison to MR scans. These methods have a degree of unavoidable uncertainty from being unable to test the physical compatibility of all the complex components of the implant.

Therefore, there is a need for an accurate noninvasive method for neurosurgical planning in NHPs. Here, we present a protocol and methodology for the preparation of implantation and injection surgeries in these animals. The whole process stems from MRI scans, where the brain and skull are extracted from the data to create three dimensional (3D) models that can then be 3D printed. The skull and brain models can be combined to prepare for craniotomy surgeries as well as head posts with an increased level of accuracy. The brain model can also be used to create a mold for the casting of an anatomically accurate gel model of the brain. The gel brain alone and in combination with an extracted skull can be used to prepare for a variety of injection surgeries. Below we will describe each of the steps required for the MRI based toolbox for neurosurgical preparation.

PROTOCOL:

All animal procedures were approved by the University of Washington Institute for Animal Care and Use Committee. Two male rhesus macaques (monkey H: 14.9 kg and 7 years old, monkey L: 14.8 kg and 6 years old) were used.

1. Image acquisition

90 1.1. Transport the monkey to a 3T MRI scanner and place the animal in an MR-compatible stereotaxic frame (**Table of Materials**).

1.2. Record the standard T1 (flip angle = 8° , repetition time/echo time = 7.5/3.69 s, matrix size = $432 \times 432 \times 80$, acquisition duration = 103.7 s, Multicoil (**Table of Materials**), number of averages = 1, slice thickness = 1 mm) anatomical MR images.

NOTE: For successful skull isolation, use the MRI acquisition parameters applied here to maximize separation between skull and brain.

2. Brain extraction

2.1. In the MR imaging software for brain extraction select **Open | Open Image**. Load the T1 Quick Magnetization Prepared Rapid Gradient Echo (MPRAGE) scan acquired in step 1.2 into an MR imaging software (**Table of Materials**).

2.2. To extract the brain, under the **Plugins** dropdown menu select **Extract Brain (BET)**. Extract at an intensity threshold around 0.5–0.7 and set the threshold gradient value to 0. Repeatedly use the extraction function at successively lower intensity thresholds until the scan contains only the cortical anatomy (**Figure 1B**).

NOTE: This is an iterative process because the software is not designed for NHP brains and extraction is not precise

2.3. Under the region of interest (ROI) menu select **Threshold to ROI** and select the option for **Shrink Wrap** and **3D** in order to create a bitmap of the brain. This will convert the volume to binary bits from a gradient, which streamlines future model generation processes. Choose a threshold (usually around 600) to isolate the brain from the surrounding tissue. This threshold can be found by hovering over the gray matter. Select **OK** to form the bitmap.

2.4. To create a surface, select **Build Surface** under the image menu and input the threshold used to extract the brain in step 2.3. Then select **OK**. The resulting surface can be used as a reference for adjusting the threshold value to produce the highest quality representation of the targeted anatomy (**Figure 1C**).

2.5. Under the file tab select Save or Save as, and save the extracted brain ROI as a .nii or .nii.gz
 file for use in creating the model of the brain.

3. Brain modeling

3.1. Select **Load Data | Choose Files to Add** and load the extracted brain saved in the .nii or .nii.gz file type in medical image processing software (**Table of Materials**).

3.2. Hover over the welcome to slicer drop down menu in the modules toolbar and move to all modules. From that menu select the **Editor** functionality. Click **OK** on the popup warning.

3.3. From the Editor module menu, select Threshold Effect and adjust the threshold range sliders
 so the portion of the bitmap containing the brain is highlighted in all three slices. When loading
 a bitmap, adjusting both sliders to a value of 1 selects the whole brain. Select Apply.

3.4. Open the model maker module, and in the input volumes dropdown menu select the bitmap file generated in step 3.3. Under **Models**, select **Create New Model Hierarchy**. After assigning the name of the model to the hierarchy, select **Apply** to create the volume.

3.5. Save the file in the .stl format.

3.6. To further modify the brain model, load the .stl file as a solid body in computer aided design
 software (Table of Materials)

NOTE: This may take a while, as the imported mesh brain surfaces are often quite complex.

3.7. Once the file is imported, in the feature tree on the left side of the screen click on the rollback bar and drag it up to remove any floating solid bodies until only the features containing the brain are remaining in the file. Save the remaining file as a .prt for further manipulation and as a .stl for 3D printing.

4. Brain molding

4.1. Load the extracted brain model from section 3 to the computer aided design software by opening the .prt file.

4.2. Creating a right and left mold of the full brain

4.2.1. Click the **Sketch** button and select the top plane as the sketch plane. Draw a rectangle containing either the entirety of the right or left hemisphere of the brain. Select the extrude boss/base feature while in the sketch and extrude a cubic rectangle to contain the top part of the brain.

NOTE: The cube may have to be extruded in two directions in order to contain the entire hemisphere. This is because the zero point, where the plane of extrusion is located, may fall inside the brain model. Extruding in both directions ensures that the mold will encompass the whole volume of interest.

4.2.2. To create the negative space, subtract the model of the brain from the newly extruded cube using the "combine" feature and selecting the subtract option.

4.2.3. Repeat steps 4.2.1 and 4.2.2 for the other hemisphere of the brain (left or right) and save the resulting files as a .stl for 3D printing and a .prt for further manipulation.

4.3. Creating a right and left mold of the upper half of the brain.

4.3.1. Create a sketch in the top plane and draw a rectangle containing either the entirety of the right or left hemisphere of the brain. Select the extrude boss/base feature while in the sketch and extrude with the **Offset from Plane** feature selected. Offset the extrusion up to a distance where there are no overhanging contours in the brain anatomy, capturing just the upper anatomy.

4.3.2. To create the negative space, subtract the model of the brain from the newly extruded
 cube using the **Combine** feature and selecting the subtract option.

4.3.3. Create a sketch plane on the dorsal side of the mold and select **Convert Entities** and then select the sketch from step 4.3.1.

4.3.4. Select the extrude boss/base feature while in the sketch and, with the blind extrude option
 selected, extrude the solid body approximately 5 mm to completely enclose the subtracted brain
 anatomy in the mold.

4.3.5. Repeat steps 4.3.1–4.3.4 for the other hemisphere of the brain (left or right) and save the resulting files as a .stl for 3D printing and a .prt for further manipulation.

4.4. By changing the dimensions and location of the cube and following the same protocol (steps 4.1 and 4.2), create molds that contain different parts of the brain.

4.5. For 3D printing, use $^{\sim}70\%$ infill density and increase the thickness of the outer shell of the print in order to minimize leakage of the molding material. If there are gaps or defects in the print, fill them using nail polish or another binding agent.

5. Skull modeling

5.1. Import the QUICK MPRAGE MRI from step 1.2 into the matrix manipulation software as a DICOM file. The DICOM file may be in separate 2D frames. If this is the case, combine all frames into a 3D matrix. Ensure that each 2D frame of the matrix is displaying a coronal slice.

5.2. Create a binary mask by thresholding the 3D matrix using a greater than operator for individual pixel values. Adjust the threshold such that the skull anatomy is being captured by the mask (see **Supplemental coding file CalibrateMask**).

NOTE: The mask will contain four distinct layers. From the outside in, they will be referred to as "outside", "musculature", "skull", and "brain". At this stage, "outside" and "skull" are 0's in the mask, and "musculature" and "brain" are 1's.

5.3. To remove the "musculature" layer, process each frame from the 3D mask separately by iteratively grabbing a 2D slice from the mask (i.e., 3D Mask(:,:,1)).

5.3.1. For each frame, select 0 pixels from the corners of the frame in the "outside" layer as the "seed". Then search neighboring 0's until you encounter a 1 pixel. Continue searching until no more 0's can be found. Convert all connected 0's to 1's. This is done using the Matlab function "imfill", with the inputs and outputs being [MASK2] = imfill(MASK1,LOCATIONS,CONNECTIVITY), where MASK1 is your original mask, and MASK2 is the filled in mask (see **Supplemental coding file FillExterior**).

5.4. Some skull information will be lost during the removal. To mitigate the information loss, perform step 5.3 in all three dimensions of the data, and keep them separate.

NOTE: Now both "outside" and "musculature" are 1's, and will be considered as "outside". The mask now contains three distinct layers, "outside", "skull", and "brain". "Outside" and "brain" are 1's, and "skull" is 0's.

5.5. Invert the values of the mask using the ~ operator (i.e., MASK2 = ~MASK1). Now "skull" is 1's and "outside" and "brain" are 0's.

5.6. The 1's that are touching each other in each mask can be considered "objects". Create an index of all objects in each mask using the Matlab function "bwconncomp", with the inputs and outputs being [CC] = bwconncomp(MASK), where MASK is the 3D mask matrix, and CC is a structural object containing the index values of for each object, the number of objects and the size of the matrix. For each mask, remove all objects except for the largest one containing the most voxels by setting the values of the smaller objects to 0's (see **Supplemental coding file RemoveNoise**).

5.7. Add the masks created from each pass together (see **Supplemental coding file MergeMasks**).

5.8. Scale the brain to a consistent resolution.

5.8.1. From the DICOM header, compare the step size between each frame of the MRI to the dimensions of each pixel.

5.8.2. If these values are different, define a scale factor to compensate for the difference in resolution between step size and pixel size for each voxel. For example, if each frame is 1 mm apart, and the pixel dimension is 0.33 mm x 0.33 mm, the scale factor will be 3.

5.8.3. Add additional empty voxels to the 3D mask until the lowest resolution dimension of the mask is larger by a factor defined by the scale factor (see Supplemental coding file "ScaleMask").

264 5.8.4. Linearly interpolate values in the mask until the mask fills the new space.

5.8.5. Export skull as an .stl file or similar filetype for 3D printing.

6. Craniotomy creation in the 3D skull model

6.1. Using the MRI file from step 5.1, manually identify the approximate location of the craniotomy from anatomical landmarks found in the macaque brain atlas (e.g., central sulcus)¹⁹.

273 6.1.1. View an individual slice of the 3D matrix (Similar to step 5.3).

6.1.2. Manually scan forward or backward through the 3D matrix until recognizable anatomical
 landmarks are located.

278 6.1.3. Save the frame number as the z coordinate (i.e., 3D_Mask(:,:,z)

6.1.4. Use a data selection tool to save the x and y coordinates of a single point on this frame for the craniotomy to be centered on using the Matlab function "getpts", with the inputs and outputs being [x,y] = getpts. "getpts" opens up a user interface, click on the desired frame (see Supplemental coding file LocateCraniotomy).

6.2. Convert the radius of the intended craniotomy from mm to voxels using the information in the DICOM header.

6.3. Using the point specified in step 6.1 as a centerpoint, set all voxels within the radius defined in 6.2 to zero in the mask from step 5.8.4 using **Supplemental coding file Craniotomy**, where the inputs and outputs are [craniotomyMask] = Craniotomy(mask, x, y, z, radius, X, Y, Z, resolution)where cranitomyMask is a 3D matrix with a the craniotomy removed, mask is the initial 3D matrix, x,y,z are the centerpoint coordinates of the craniotomy, radius is the radius of the craniotomy, X,Y,Z are grid vectors of the 3D matrix, and resolution is your radius defined in step 6.2 (see **Supplemental coding file Craniotomy**).

6.4. For multiple craniotomies, repeat steps 6.1–6.3 for each unique craniotomy.

6.5. Export skull as an .stl file or similar filetype for 3D printing.

7. 3D printing

NOTE: Two types of 3D printers for physical prototypes (**Table of Materials**) are used. For the following specifications, all 3D printer and printing software settings should be default unless otherwise mentioned.

7.1. In order to print the prototypes and molds, use a standard PLA printer (**Table of Materials**) and create the G-Code with the following printer and software settings: inner density >50% (this

is especially important for the molds as they must hold liquid), fast honeycomb internal fill pattern, rectilinear external fill pattern, plate temperature = 50 °C, and extruder temperature = 310 °C.

311

7.2. In order to print higher fidelity models of the brain and skull use an industrial-grade printer to make a combined print of acrylonitrile butadiene styrene (ABS) for the model and a dissolvable support material (**Table of Materials**). Then create the G-Code and with the following printer settings: fill style Sparse - High Density. All other settings will be automatically set to the appropriate default setting.

317

318 7.2.1. Dissolve the model in support solvent (Table of Materials) for ~12 h.

319

7.3. After implementing the appropriate printer settings, press **Start** and watch the first layer of the print to ensure that the base layer is clean and even.

322

7.4. After 3D printing the molds, patch any visible holes with nail polish (Table of Materials) to
 guarantee a tighter seal.

325 326

327

328

NOTE: The 3D printed brain and skull models can be combined by inserting the brain model into the open bottom of the skull. Removing the eye anatomy can ease the placement of the brain model without losing important information. When placed inside the skull, the brain naturally aligns to the anatomically correct position.

329330331

8. Preparation of agarose

332

8.1. Mix the agar powder (Table of Materials) and locust bean gum powder (Table of Materials)
 in a 1:4 ratio by mass.

335

8.2. Combine the powder mixture with 1x phosphate buffered solution (Table of Materials) to a
0.6% concentration solution in an Erlenmeyer flask.

338

NOTE: Concentrations used by other labs falls in a range of 0.5%- $0.6\%^{20,21}$.

340

341 8.3. Set the microwave to max power and place the flask containing the solution in the microwave for 2 min.

343

344 8.4. Observe the solution. When the solution begins to bubble, stop the microwave and timer, 345 remove the flask, and swirl vigorously. Set the flask back in microwave and resume the 346 microwave and timer.

347

NOTE: The purpose is to heat the solution without reducing the volume significantly due to evaporation during boiling.

350

351 8.5. Repeat step 8.4 until the two minutes is complete.

8.6. Remove the flask and maintain swirling to prevent the solution from setting in the flask.

355 8.7. Run cold water on the outside of the flask to cool the solution while swirling. Cool the 356 solution until the outside of the flask is hot to the touch, yet tolerable and safe, to prevent the 357 solution from deforming the plastic mold in the following steps.

8.8. Swirl the flask while transporting the solution to the mold to avoid premature hardening.

9. Agarose molding

NOTE: The agarose molding process outlined below is the same for the full hemisphere and upper half hemisphere molds

366 9.1. Pour the agarose solution into one of the brain molds until full. Continue to swirl remaining solution in the flask.

9.2. Monitor the level of solution in the mold for leaks. Refill the mold as necessary since the setting agarose will seal any leaks in the mold.

9.3. Allow the solution in the mold to sit unperturbed at room temperature until the solution has set and hardened into a solid.

NOTE: While wait times may vary depending on the volume of solution and other factors, 2 h is found to be a reliable wait time.

9.4. Use a spatula to gently remove the gel model from the mold. Be strategic with the location of spatula insertion into the mold in order to prevent potential deformations to the surface of the mold.

9.5. To slow the natural evaporation process and exposure to biological agents, place the gel model in a sealed container in a refrigerator.

10. Injection into agarose gel model

10.1. Prepare the pump for infusion and fix it in a stereotaxic arm on a stereotaxic frame (**Table of Materials**). Position the pump to the correct injection trajectory and location normal to the surface of the gel model from section 9.

391 10.2. Fill a 250 μL syringe (Table of Materials) with DI water. Mount the syringe onto the pump
 392 (Table of Materials).

NOTE: Before drawing any dye, DI water should fill the injection cannula (**Table of Materials**) completely. That way when the dye is drawn up through the cannula there is no compression or expansion of air by the plunger that might impact the injection volume.

10.3. Use the pump driver (**Table of Materials**) to withdraw the food coloring (**Table of Materials**) into the syringe to the target volume for injection. Inject the food coloring slowly until a small bead forms at the tip of the cannula to prevent air bubbles from being injected into the gel. Dry the bead off the tip of the cannula.

10.4. Position the gel model under the cannula. Lower the cannula until the tip touches the surface of the gel model. Note the measurements on the stereotaxic arm.

10.5. Lower the cannula into the gel model quickly and smoothly to the target injection depth and ensure that the surface of the gel has sealed around the cannula.

10.6. Run the pump and observe the spread of the food coloring until the target volume is injected. Start with a flowrate of 1 μ L/min and increase to 5 μ L/min with 1 μ L/min steps every minute. The spread of the food coloring in the gel is an approximation of the spread of a viral vector in the brain.

10.7. Remove the cannula from the gel quickly and smoothly.

10.8. Capture images of the spread of the food coloring with a photographic device (**Table of Materials**) and physically measure the dimensions of the embolism in order to calculate the ellipsoid volume of the injection. This approach is possible due to transparent nature of the gel.

REPRESENTATIVE RESULTS:

The manipulation and analysis of MRIs as a preoperative craniotomy planning measure has been used successfully in the past^{2,5,10,16}. This process, however, has been greatly enhanced by the addition of the 3D modeling of the brain, skull, and craniotomy. We were able to successfully create an anatomically accurate physical model of the brain that reflected the area of interest for our studies (**Figure 1**). We were similarly able to create an anatomically accurate physical model of the primate skull extracted from the MR images (**Figure 2**).

The two physical models of the skull and brain combined with a tight interference fit, validating the accuracy of the two models relative to each other and legitimizing the extrapolated MRI analysis data (Figure 3A,B). With the combined model we were able to insert a craniotomy into the skull prior to printing and visualize the predicted anatomy in the craniotomy (Figure 3). The accuracy of the predicted anatomy in the craniotomy was validated through a comparison of the physical model and the predicted craniotomy from MRI analysis (Figure 3B). Additionally, we were able to combine all of the parts of our example interface and evaluate the geometry of the various components in relation to the skull and brain (Figure 3C,D).

In order to test the skull model, a physical model of the skull of Monkey L was extracted using

the methods outlined above and 3D printed to plan for a head post implantation surgery. The feet of the head post were then manipulated and fitted to the curvature of the skull at the location of the implantation (**Figure 3E**). As a result of the preoperative fitting of the head post, the surgery time was reduced from approximately 2.5 hours to 1 hour (216% faster) from opening to implantation, greatly reducing the risk of operative complications²².

By manipulating the 3D model of the brain in SolidWorks, we were able to create a mold that accurately reflected the anatomy of both the printed brain and the brain model extracted from the MRI (Figure 4A–C). This mold was used to cast an agarose mixture model of the brain (Figure 4D,E). Using these molds of the brain, we were able to inject in different areas of the brain and estimate the volume of the infusion of an injection procedure modeled with a yellow dye (Table of Materials). The half-hemisphere gel model of the brain was successfully used to capture a clear view of the spread of the dye in a model virus injection, allowing us to measure an approximate volume of the dye over time as it was injected (Figure 5A). Injection of dye into the brain model was combined with a 3D printed skull to model viral vector injection surgery (Figure 5B,C). This was combined with an electrocorticography array placement on top of the injection to guide the implantation in preparation for surgery^{7,10}.

FIGURE LEGENDS:

Figure 1: Models of extracted brain. (**A**) Layered series of T1-QuickMPRAGE coronal slices of the brain of Monkey H. (**B**) Layered series of MR slices of the extracted brain of Monkey H using the BET plugin and Mango software as outlined in the Methods section. (**C**) Axial, sagittal, and skewed view of a model of the gray matter of Monkey H created using the surface building functionality in Mango. (**D**) Axial, sagittal, and skewed view of a 3D printed model of the gray matter of Monkey H created using a Dremel 3D45 extruding printer.

Figure 2: Skull extraction. (A) Layered series of T1-QuickMPRAGE coronal slices of the brain of Monkey H. (B) Layered series of binary mask after simple thresholding MR slices. (C) Layered series of binary mask after removing "musculature layer". (D) Layered series of binary mask of skull after processing as outlined in the Methods section. (E) 3D model generated from binary mask. (F) 3D model with simulated craniotomy removed.

Figure 3: Surgical preparation using 3D printed prototypes. (A) Combination of the 3D printed brain extracted with Mango inside of a 3D printed skull extracted from MRI of Monkey L as outlined in the Methods section. **(B)** Comparison of craniotomy targeting between our 3D models and MR planning in Monkey L. **(C,D)** An example of using our toolbox to prepare for chamber **(C)** and array **(D)** implantation¹⁵. **(E)** 3D printed model of the skull of Monkey L used for pre-bending the head-post prior to surgery.

Figure 4: Gel brain modeling. (**A, B**) 3D model of the mold for Monkey H. (**C**) 3D printed molds from A and B. Pictured left is a mold used to create the upper portion of the right hemisphere. Pictured right is a mold to create the right hemisphere (**D**) Agarose models of the upper portion of the right hemisphere (left) and the whole right hemisphere (right). (**E**) Agarose model of the right hemisphere placed inside of a 3D print of an extracted skull from Monkey L, demonstrating

the accurate representation of the brain and craniotomy.

Figure 5: Injection modeling. (A) Time lapse images of the injection procedure. Top left panel pre-insertion. Top right panel post-insertion. Lower four panels show the spread of the dye over time. (B) Gel model of a section of the brain positioned within a 3D printed skull with a craniotomy such that injections of food coloring may be observed in relation to the cortical structures and electrode placement. (C) 3D print of a chamber fit to the skull and observed in relation to the electrode array, gel model, and injection.

DISCUSSION:

This article describes a toolbox for preparation for neurosurgeries in NHPs using physical and CAD models of skull and brain anatomy extracted from MR scans.

While the extracted and 3D printed skull and brain models were designed specifically for the preparation of craniotomy surgeries and head post implantations, the methodology lends itself to several other applications. As described before, the physical model of the skull allows for prebending of the head post before surgery, which creates a good fit with the skull. Moreover, the extracted skull from MRI can be used to generate a 3D designed head post with a higher fidelity to the skull anatomy. While CT imaging is traditionally a better modality for skull extraction, in the proposed method, the brain and skull anatomy come from the same imaging modality, which could contribute to enhanced anatomical consistency between the bone and soft-tissue models. This anatomical consistency could enhance precision and ensure that the craniotomy will cover the cortical region of interest and that all the implanting components, such as stimulation and recording chambers, fit the skull curvature. This is supported by extant studies that quantitatively compared MRI-extracted skull topography to extractions from other scan types^{23,24}. Other work in the field has outlined methods for the creation of models and 3D printed prototypes for head post implantation^{25,26}, but they do not use solely MR scans to create an adaptable model for the preparation for both head posting and craniotomy. It is important to note that the MRI acquisition parameters used here are critical in successful skull extraction as outlined in the protocol. Previous work in the field of brain extraction and skull stripping offers alternatives to the widely available BET brain extraction used in this protocol²⁷. Similarly, skull extraction custom scripts exist, however, they require the manual removal of non-skull voxels compared to a completely automated protocol²⁸. While here we show only a few examples, these tools are applicable to a variety of other surgeries such as electrode and chamber implantations in NHPs 2,4,5,7,10,15,18,29,30 , as well as other animal models 31,32 .

When combined with the agarose mixture brain models, the surgical preparation toolbox can be applied to prepare for surgical procedures involving fluid injections such as optogenetics and chemogenetics^{2,4,5,10,33,34}. Although here we had success with using PLA to 3D print the molds, this process can be further improved by using an ABS filament, which has a higher glass transition temperature that will make the molding process more efficient. Prior work has proposed agarose gel as an artificial material that can mimic some of the mechanical properties of the brain relevant to fluid infusion^{20,21}. However, previous work has not combined the agarose with a brain-realistic mold to provide a surgical preparation tool. The molded agarose mixture gel brains can be used

to give qualitative cortical context to the injection location and visualize the volume and location of fluid diffusion. The gel brains can also be used to practice the injection motion and location within the stereotaxic frame. This can be applied not only to optogenetics but translated into other experiments requiring injection into the brain^{2,4,34}. The model can also be used to enhance the current CED standard practice by optimizing injection speed and cannula thickness. This model can also be strengthened by the quantitative validation of the agarose gel mixture to accurately represent diffusive and convective flow in the brain^{5,10}. In future efforts we can also incorporate vasculature information into our 3D models by including contrast-enhanced imaging to our imaging procedure which can provide critical information on injection planning.

535 536 **ACKNOWLEDGMENTS:**

526

527

528

529 530

531

532533

534

537

538

539

540

541

542

543

544

545

546547

548

549550

551

552

This project was supported by the Eunice Kennedy Shiver National Institute of Child Health & Human Development of the National Institutes of Health under Award Number K12HD073945, the Washington National Primate Research Center (WaNPCR, P51 OD010425), the Center for Neurotechnology (CNT, a National Science Foundation Engineering Research Center under Grant EEC-1028725) and University of Washington Royalty Research Funds. Funding to the Macknik and Martinez-Conde labs for this project came from a BRAIN Initiative NSF-NCS Award 1734887, as well as NSF Awards 1523614 & 1829474, and SUNY Empire Innovator Scholarships to each professor. We thank Karam Khateeb for his help with agarose preparation, and Toni J Huan for technical help.

DISCLOSURES:

The authors have no conflicts of interest to disclose at this time.

REFERENCES:

- Phillips, K. A. et al. Why primate models matter. *American Journal of Primatology.* **76** (9), 801-827 (2014).
- 553 2 Macknik, S. L. et al. Advanced Circuit and Cellular Imaging Methods in Nonhuman 554 Primates. *Journal of Neuroscience*. **39** (42), 8267-8274 (2019).
- Seok, J. et al. Genomic responses in mouse models poorly mimic human inflammatory diseases. *Proceedings of the National Academy of Sciences of the United States of America.* **110** (9), 3507-3512 (2013).
- Ju, N., Jiang, R., Macknik, S. L., Martinez-Conde, S., Tang, S. Long-term all-optical interrogation of cortical neurons in awake-behaving nonhuman primates. *PLoS Biol.* **16** (8), e2005839 (2018).
- 561 5 Yazdan-Shahmorad, A. et al. Widespread optogenetic expression in macaque cortex 562 obtained with MR-guided, convection enhanced delivery (CED) of AAV vector to the 563 thalamus. *Journal of Neuroscience Methods.* **293**, 347-358 (2018).
- 564 Yazdan-Shahmorad, A., Silversmith, D. B., Kharazia, V., Sabes, P. N. Targeted cortical reorganization using optogenetics in nonhuman primates. *Elife.* **7** (2018).
- 566 7 Ledochowitsch, P. et al. Strategies for optical control and simultaneous electrical readout 567 of extended cortical circuits. *Journal of Neuroscience Methods.* **256**, 220-231 (2015).
- 568 Yao, Z., Yazdan-Shahmorad, A. A Quantitative Model for Estimating the Scale of 569 Photochemically Induced Ischemic Stroke. *Conference proceedings - IEEE Engineering in*

- 570 *Medicine and Biology Society.* **2018**, 2744-2747 (2018).
- 571 9 Yazdan-Shahmorad, A., Silversmith, D. B., Sabes, P. N. Novel techniques for large-scale 572 manipulations of cortical networks in nonhuman primates. *Conference proceedings - IEEE* 573 *Engineering in Medicine and Biology Society.* **2018**, 5479-5482 (2018).
- 574 10 Yazdan-Shahmorad, A. et al. A Large-Scale Interface for Optogenetic Stimulation and Recording in Nonhuman Primates. *Neuron.* **89** (5), 927-939 (2016).
- Yazdan-Shahmorad, A. et al. Demonstration of a setup for chronic optogenetic stimulation and recording across cortical areas in nonhuman primates. *SPIE BiOS.* (2015).
- Han, X. Optogenetics in the nonhuman primate. *Progress in Brain Research.* **196**, 215-233 (2012).
- Acker, L., Pino, E. N., Boyden, E. S., Desimone, R. FEF inactivation with improved optogenetic methods. *Proceedings of the National Academy of Sciences of the United States of America.* **113** (46), E7297-E7306 (2016).
- 583 14 May, T. et al. Detection of optogenetic stimulation in somatosensory cortex by nonhuman primates--towards artificial tactile sensation. *PLoS One.* **9** (12), e114529 (2014).
- 585 15 D. J. Griggs, K. K., S. Philips, J. W. Chan, W.K.S. Ojemann, A. Yazdan-Shahmorad. Optimized large-scale optogenetic interface for nonhuman primates. *SPIE BiOS.* (2019).
- Khateeb, K., Griggs, D. J., Sabes, P. N., Yazdan-Shahmorad, A. Convection Enhanced Delivery of Optogenetic Adeno-associated Viral Vector to the Cortex of Rhesus Macaque Under Guidance of Online MRI Images. *Journal of Visualized Experiments*. 10.3791/59232 (147) (2019).
- 591 Lucas, T. H., Fetz, E. E. Myo-cortical crossed feedback reorganizes primate motor cortex output. *Journal of Neuroscience.* **33** (12), 5261-5274 (2013).
- Jackson, A., Mavoori, J., Fetz, E. E. Long-term motor cortex plasticity induced by an electronic neural implant. *Nature.* **444** (7115), 56-60 (2006).
- 595 19 Paxinos, G., Huang, X.-F., Petrides, M., Toga, A. W. *The Rhesus Monkey Brain in Stereotaxic Coordinates*. 2nd Edition edn (Elsevier Science, 2008).
- 597 20 Krauze, M. T. et al. Reflux-free cannula for convection-enhanced high-speed delivery of therapeutic agents. *Journal of Neurosurgery.* **103** (5), 923-929 (2005).
- 599 21 Chen, Z. J. et al. A realistic brain tissue phantom for intraparenchymal infusion studies.


 599 31 Journal of Neurosurgery. **101** (2), 314-322 (2004).
- 601 22 Cheng, H. et al. Prolonged operative duration is associated with complications: a systematic review and meta-analysis. *Journal of Surgical Research.* **229**, 134-144 (2018).
- Michikawa, T. et al. Automatic extraction of endocranial surfaces from CT images of crania. *PLoS One.* **12** (4), e0168516 (2017).
- Soliman, A. S. et al. A realistic phantom for validating MRI-based synthetic CT images of the human skull. *Medical Physics.* **44** (9), 4687-4694 (2017).
- Blonde, J. D. et al. Customizable cap implants for neurophysiological experimentation. Journal of Neuroscience Methods. **304**, 103-117 (2018).
- Overton, J. A. et al. Improved methods for acrylic-free implants in nonhuman primates for neuroscience research. *Journal of Neurophysiology.* **118** (6), 3252-3270 (2017).
- Lohmeier, J., Kaneko, T., Hamm, B., Makowski, M. R., Okano, H. atlasBREX: Automated template-derived brain extraction in animal MRI. *Scientific Reports.* **9** (1), 12219 (2019).
- 613 28 Ortiz-Rios, M. et al. Improved methods for MRI-compatible implants in nonhuman


primates. *Journal of Neuroscience Methods.* **308**, 377-389 (2018).


630


- Nishimura, Y., Perlmutter, S. I., Eaton, R. W., Fetz, E. E. Spike-timing-dependent plasticity in primate corticospinal connections induced during free behavior. *Neuron.* **80** (5), 1301-1309 (2013).
- Seeman, S. C., Mogen, B. J., Fetz, E. E., Perlmutter, S. I. Paired Stimulation for Spike-Timing-Dependent Plasticity in Primate Sensorimotor Cortex. *Journal of Neuroscience*. **37** (7), 1935-1949 (2017).
- Sedaghat-Nejad, E. et al. Behavioral training of marmosets and electrophysiological recording from the cerebellum. *Journal of Neurophysiology.* **122** (4), 1502-1517 (2019).
- Schweizer-Gorgas, D. et al. Magnetic resonance imaging features of canine gliomatosis cerebri. *Veterinary Radiology & Ultrasound*. **59** (2), 180-187 (2018).
- Galvan, A. et al. Nonhuman Primate Optogenetics: Recent Advances and Future Directions. *Journal of Neuroscience*. **37** (45), 10894-10903 (2017).
- 627 34 Galvan, A., Caiola, M. J., Albaugh, D. L. Advances in optogenetic and chemogenetic methods to study brain circuits in nonhuman primates. *Journal of Neural Transmission*. 629 **125** (3), 547-563 (2018).

Figure 1











3






 $A \longleftrightarrow P$

Click here to access/download;Figure;Figure_2_scaled_final.pdf **±**








Click here to access/download;Figure;Figure_5_scaled_final.pdf 🛓


P


А

















Name of Material/ Equipment	Company	Catalog Number	Comments/Description
3D Printing Software (GrabCAD			
Print)	Stratasys	Version 1.36	Used for High quality 3D printing
3D Printing Software (Simplify 3D)	Simplify3D Benchmark	Version 4.1	Used for PLA 3D printing
Agarose	Scientific	A1700	Used for making gel brains
Black Nail Polish	L.A. Colors Polymicro	CNP637	Used for gel molding
Cannula (ID 320 um, OD 432 um)	Technologies Polymicro	1068150627	Used to inject dye into gel brain
Cannula (ID 450 um, OD 666 um)	Technologies	1068150625	Used to inject dye into gel brain
Catheter Connector	B Braun	PCC2000	Perifix for 20-24 Gage epidural catheters; Units per Cs 50
Dremel 3D Digilab 3D45 printer	Dremel	F0133D45AA	Used for prototyping in PLA
ECOWORKS	Stratasys	300-00104	Used to dissolve QSR support structures
Erlymeyer flask	Pyrex The Original Super Glue	4980	Used for gel molding
Ethyl cyanoacrylate	Corp.	15187	Used to make combined cannula
Graduated cylinder		3023	Used for gel molding
		3DPLA-1KG1.75-	
HATCHBOX PLA 3D Printer		RED/3DPLA-	
Filament	HATCHBOX Modernist	1KG1.75-BLACK	1kg Spool, 1.75mm, Red/Black
Locust Bean Gum	Pantry	1018	Gumming agent for gel brain mixtures
MATLAB	MathWorks	R2019b	Used for skull extraction
McCormick Yellow Food Color	McCormick		Used for dye injection
Microwave	Panasonic	NN-SD975S	Used for agarose curing
MR Imaging Software (3D Slicer)	3D Slicer	Version 4.10.2	Used for 3D model generation

MR Imaging Software (Mango	Reasearch Imaging			
with BET plugin)	Institute	Version 4.1	Used for brain extraction	
Philips Acheiva MRI System	Philips	4522 991 19391	Used to image non-human primates	
Phosphate Buffered Solution	Gibco	70011-044	10X diluted with DI water to 1X	
Pump	WPI	UMP3T-1	Used for dye injection	
Pump driver	WPI	UMP3T-1	Used for dye injection	
	General			
Refrigerator	Electric		Used to preserve agarose gel	
Scientific Spatula	VWR	82027-494	Used to extract gel molds	
	Dassault			
SolidWorks	Systemes	2019	Ð	
Stratasys ABS-M30 filament	Stratasys	333-60304	Used for high quality 3D printing	
Stratasys F170 3D printer	Stratasys	123-10000	Used for high quality 3D printing	
Stratasys QSR support	Stratasys	333-63500	Used to create supports with ABS model	
Syringe	SGE	SGE250TLL	Used for dye injection	

Response letter

We thank the editorial board for constructive feedback on our manuscript. We have addressed the editorial comments as described below:

- Please note that the editor has formatted the manuscript to match the journal's style.
 Please retain the same. The updated manuscript is attached and please use this version to incorporate the changes that are requested.
 The format was preserved.
- 2. For each protocol step, please ensure you answer the "how" question, i.e., how is the step performed? Alternatively, add references to published material specifying how to perform the protocol action. Software steps must be more explicitly explained ('click', 'select', etc.). Please add more specific details (e.g., button clicks or menu selections for software actions, numerical values for settings, etc.). In case of running of scripts within a programming environment, we would need explicit instructions regarding which functions/scripts are running, all inputs and outputs, and screenshots to match every step of the protocol.

We have addressed this comment by adding more detailed description to different sections of the manuscript.

- 3. Please address specific comments marked in the attached manuscript. All of the comments are address. The only comment that is not addressed is the comment about citations. We have used the JoVE format in EndNote for our citations in the manuscript. Please let us know if you want us to use a different format.
- 4. Once formatted please ensure that the highlighted content is no more than 2.75 pages long including heading and spacings. Note that the highlighted content should contain essential steps of the protocol for the video, i.e., the steps that should be visualized to tell the most cohesive story of the Protocol. Please ensure that the highlighted steps form a cohesive narrative with a logical flow from one highlighted step to the next.

We have changed the highlighted sections in the manuscript to address the above comments. The highlighted sections are 2.5 pages.

example scan for the coding files

Click here to access/download

Supplemental Coding Files

T1MPRAGE

Click here to access/download

Supplemental Coding Files

CalibrateMask.m

Click here to access/download

Supplemental Coding Files

Craniotomy.m

Click here to access/download

Supplemental Coding Files

Example_Extraction.m

Click here to access/download

Supplemental Coding Files

FillExterior.m

Click here to access/download
Supplemental Coding Files
LocateCraniotomy.m

Click here to access/download Supplemental Coding Files make_STL_of_Array.m

Click here to access/download

Supplemental Coding Files

MergeMasks.m

Click here to access/download

Supplemental Coding Files

ReadMe.rtf

Click here to access/download

Supplemental Coding Files

RemoveNoise.m

Click here to access/download

Supplemental Coding Files

ScaleMask.m



1 Alewife Center #200 Cambridge, MA 02140 tel. 617.945.9051 www.jove.com

ARTICLE AND VIDEO LICENSE AGREEMENT

Title of Article:	MRI based toolbox for neurosurgical planning in non-human primates
Author(s):	William K.S. Ojemann, Devon J. Griggs, Zachary Ip, Olivya Caballero, Hesamoddin Jahanian, Susana Martinez-Conde, Stephen Macknik, Azadeh Yazdan Shahmorad
tem 1 (check	one box): The Author elects to have the Materials be made available (as described at
http://v	vww.jove.com/author) via: 🔹 Standard Access 🔲 Open Access
tem 2 (check o	ne box):
* The	Author is NOT a United States government employee.
	e Author is a United States government employee and the Materials were prepared in the of his or her duties as a United States government employee.
	Author is a United States government employee but the Materials were NOT prepared in the of his or her duties as a United States government employee.

ARTICLE AND VIDEO LICENSE AGREEMENT

- 1. Defined Terms. As used in this Article and Video License Agreement, the following terms shall have the following meanings: "Agreement" means this Article and Video License Agreement; "Article" means the article specified on the last page of this Agreement, including any associated materials such as texts, figures, tables, artwork, abstracts, or summaries contained therein; "Author" means the author who is a signatory to this Agreement; "Collective Work" means a work, such as a periodical issue, anthology or encyclopedia, in which the Materials in their entirety in unmodified form, along with a number of other contributions, constituting separate and independent works in themselves, are assembled into a collective whole; "CRC License" means the Creative Commons Attribution-Non Commercial-No Derivs 3.0 Unported Agreement, the terms and conditions of which can be found http://creativecommons.org/licenses/by-ncnd/3.0/legalcode; "Derivative Work" means a work based upon the Materials or upon the Materials and other preexisting works, such as a translation, musical arrangement, dramatization, fictionalization, motion picture version, sound recording, art reproduction, abridgment, condensation, or any other form in which the Materials may be recast, transformed, or adapted; "Institution" means the institution, listed on the last page of this Agreement, by which the Author was employed at the time of the creation of the Materials; "JoVE" means MyJove Corporation, a Massachusetts corporation and the publisher of The Journal of Visualized Experiments; "Materials" means the Article and / or the Video; "Parties" means the Author and JoVE; "Video" means any video(s) made by the Author, alone or in conjunction with any other parties, or by JoVE or its affiliates or agents, individually or in collaboration with the Author or any other parties, incorporating all or any portion of the Article, and in which the Author may or may not appear.
- 2. <u>Background</u>. The Author, who is the author of the Article, in order to ensure the dissemination and protection of the Article, desires to have the JoVE publish the Article and create and transmit videos based on the Article. In furtherance of such goals, the Parties desire to memorialize in this Agreement the respective rights of each Party in and to the Article and the Video.
- 3. Grant of Rights in Article. In consideration of JoVE agreeing to publish the Article, the Author hereby grants to JoVE, subject to Sections 4 and 7 below, the exclusive, royalty-free, perpetual (for the full term of copyright in the Article, including any extensions thereto) license (a) to publish, reproduce, distribute, display and store the Article in all forms, formats and media whether now known or hereafter developed (including without limitation in print, digital and electronic form) throughout the world, (b) to translate the Article into other languages, create adaptations, summaries or extracts of the Article or other Derivative Works (including, without limitation, the Video) or Collective Works based on all or any portion of the Article and exercise all of the rights set forth in (a) above in such translations, adaptations, summaries, extracts, Derivative Works or Collective Works and (c) to license others to do any or all of the above. The foregoing rights may be exercised in all media and formats, whether now known or hereafter devised, and include the right to make such modifications as are technically necessary to exercise the rights in other media and formats. If the "Open Access" box has been checked in Item 1 above, JoVE and the Author hereby grant to the public all such rights in the Article as provided in, but subject to all limitations and requirements set forth in, the CRC License.



ARTICLE AND VIDEO LICENSE AGREEMENT

- 4. Retention of Rights in Article. Notwithstanding the exclusive license granted to JoVE in **Section 3** above, the Author shall, with respect to the Article, retain the non-exclusive right to use all or part of the Article for the non-commercial purpose of giving lectures, presentations or teaching classes, and to post a copy of the Article on the Institution's website or the Author's personal website, in each case provided that a link to the Article on the JoVE website is provided and notice of JoVE's copyright in the Article is included. All non-copyright intellectual property rights in and to the Article, such as patent rights, shall remain with the Author.
- 5. Grant of Rights in Video Standard Access. This Section 5 applies if the "Standard Access" box has been checked in Item 1 above or if no box has been checked in Item 1 above. In consideration of JoVE agreeing to produce, display or otherwise assist with the Video, the Author hereby acknowledges and agrees that, Subject to Section 7 below, JoVE is and shall be the sole and exclusive owner of all rights of any nature, including, without limitation, all copyrights, in and to the Video. To the extent that, by law, the Author is deemed, now or at any time in the future, to have any rights of any nature in or to the Video, the Author hereby disclaims all such rights and transfers all such rights to JoVE.
- 6. Grant of Rights in Video Open Access. This Section 6 applies only if the "Open Access" box has been checked in Item 1 above. In consideration of JoVE agreeing to produce, display or otherwise assist with the Video, the Author hereby grants to JoVE, subject to Section 7 below, the exclusive, royalty-free, perpetual (for the full term of copyright in the Article, including any extensions thereto) license (a) to publish, reproduce, distribute, display and store the Video in all forms, formats and media whether now known or hereafter developed (including without limitation in print, digital and electronic form) throughout the world, (b) to translate the Video into other languages, create adaptations, summaries or extracts of the Video or other Derivative Works or Collective Works based on all or any portion of the Video and exercise all of the rights set forth in (a) above in such translations, adaptations, summaries, extracts, Derivative Works or Collective Works and (c) to license others to do any or all of the above. The foregoing rights may be exercised in all media and formats, whether now known or hereafter devised, and include the right to make such modifications as are technically necessary to exercise the rights in other media and formats. For any Video to which this Section 6 is applicable, JoVE and the Author hereby grant to the public all such rights in the Video as provided in, but subject to all limitations and requirements set forth in, the CRC License.
- 7. Government Employees. If the Author is a United States government employee and the Article was prepared in the course of his or her duties as a United States government employee, as indicated in **Item 2** above, and any of the licenses or grants granted by the Author hereunder exceed the scope of the 17 U.S.C. 403, then the rights granted hereunder shall be limited to the maximum rights permitted under such

- statute. In such case, all provisions contained herein that are not in conflict with such statute shall remain in full force and effect, and all provisions contained herein that do so conflict shall be deemed to be amended so as to provide to JoVE the maximum rights permissible within such statute.
- 8. <u>Likeness, Privacy, Personality</u>. The Author hereby grants JoVE the right to use the Author's name, voice, likeness, picture, photograph, image, biography and performance in any way, commercial or otherwise, in connection with the Materials and the sale, promotion and distribution thereof. The Author hereby waives any and all rights he or she may have, relating to his or her appearance in the Video or otherwise relating to the Materials, under all applicable privacy, likeness, personality or similar laws.
- 9. Author Warranties. The Author represents and warrants that the Article is original, that it has not been published, that the copyright interest is owned by the Author (or, if more than one author is listed at the beginning of this Agreement, by such authors collectively) and has not been assigned, licensed, or otherwise transferred to any other party. The Author represents and warrants that the author(s) listed at the top of this Agreement are the only authors of the Materials. If more than one author is listed at the top of this Agreement and if any such author has not entered into a separate Article and Video License Agreement with JoVE relating to the Materials, the Author represents and warrants that the Author has been authorized by each of the other such authors to execute this Agreement on his or her behalf and to bind him or her with respect to the terms of this Agreement as if each of them had been a party hereto as an Author. The Author warrants that the use, reproduction, distribution, public or private performance or display, and/or modification of all or any portion of the Materials does not and will not violate, infringe and/or misappropriate the patent, trademark, intellectual property or other rights of any third party. The Author represents and warrants that it has and will continue to comply with all government, institutional and other regulations, including, without limitation all institutional, laboratory, hospital, ethical, human and animal treatment, privacy, and all other rules, regulations, laws, procedures or guidelines, applicable to the Materials, and that all research involving human and animal subjects has been approved by the Author's relevant institutional review board.
- 10. <u>JoVE Discretion</u>. If the Author requests the assistance of JoVE in producing the Video in the Author's facility, the Author shall ensure that the presence of JoVE employees, agents or independent contractors is in accordance with the relevant regulations of the Author's institution. If more than one author is listed at the beginning of this Agreement, JoVE may, in its sole discretion, elect not take any action with respect to the Article until such time as it has received complete, executed Article and Video License Agreements from each such author. JoVE reserves the right, in its absolute and sole discretion and without giving any reason therefore, to accept or decline any work submitted to JoVE. JoVE and its employees, agents and independent contractors shall have



ARTICLE AND VIDEO LICENSE AGREEMENT

full, unfettered access to the facilities of the Author or of the Author's institution as necessary to make the Video, whether actually published or not. JoVE has sole discretion as to the method of making and publishing the Materials, including, without limitation, to all decisions regarding editing, lighting, filming, timing of publication, if any, length, quality, content and the like.

11. Indemnification. The Author agrees to indemnify JoVE and/or its successors and assigns from and against any and all claims, costs, and expenses, including attorney's fees, arising out of any breach of any warranty or other representations contained herein. The Author further agrees to indemnify and hold harmless JoVE from and against any and all claims, costs, and expenses, including attorney's fees, resulting from the breach by the Author of any representation or warranty contained herein or from allegations or instances of violation of intellectual property rights, damage to the Author's or the Author's institution's facilities, fraud, libel, defamation, research, equipment, experiments, property damage, personal injury, violations of institutional, laboratory, hospital, ethical, human and animal treatment, privacy or other rules, regulations, laws, procedures or guidelines, liabilities and other losses or damages related in any way to the submission of work to JoVE, making of videos by JoVE, or publication in JoVE or elsewhere by JoVE. The Author shall be responsible for, and shall hold JoVE harmless from, damages caused by lack of sterilization, lack of cleanliness or by contamination due to the making of a video by JoVE its employees, agents or independent contractors. All sterilization, cleanliness or decontamination procedures shall be solely the responsibility of the Author and shall be undertaken at the Author's expense. All indemnifications provided herein shall include JoVE's attorney's fees and costs related to said losses or damages. Such indemnification and holding harmless shall include such losses or damages incurred by, or in connection with, acts or omissions of JoVE, its employees, agents or independent contractors.

- 12. Fees. To cover the cost incurred for publication, JoVE must receive payment before production and publication the Materials. Payment is due in 21 days of invoice. Should the Materials not be published due to an editorial or production decision, these funds will be returned to the Author. Withdrawal by the Author of any submitted Materials after final peer review approval will result in a US\$1,200 fee to cover pre-production expenses incurred by JoVE. If payment is not received by the completion of filming, production and publication of the Materials will be suspended until payment is received.
- 13. <u>Transfer, Governing Law</u>. This Agreement may be assigned by JoVE and shall inure to the benefits of any of JoVE's successors and assignees. This Agreement shall be governed and construed by the internal laws of the Commonwealth of Massachusetts without giving effect to any conflict of law provision thereunder. This Agreement may be executed in counterparts, each of which shall be deemed an original, but all of which together shall be deemed to me one and the same agreement. A signed copy of this Agreement delivered by facsimile, e-mail or other means of electronic transmission shall be deemed to have the same legal effect as delivery of an original signed copy of this Agreement.

A signed copy of this document must be sent with all new submissions. Only one Agreement required per submission.

CORRESPONDING AUTHOR:

Name:	Azadeh Yazdan-Shahmorad				
Department:	Bioengineering				
Institution:	University of Washington				
Article Title:	MRI based toolbox for neurosurgical planning in non-human primates				
Signature:	Azadeh Gazdan Date:	02/19/2020			

Please submit a signed and dated copy of this license by one of the following three methods:

- 1) Upload a scanned copy of the document as a pfd on the JoVE submission site;
- 2) Fax the document to +1.866.381.2236;
- 3) Mail the document to JoVE / Attn: JoVE Editorial / 1 Alewife Center #200 / Cambridge, MA 02139

For questions, please email submissions@jove.com or call +1.617.945.9051