

**Materials List for:**

# **A Low Mortality Rat Model to Assess Delayed Cerebral Vasospasm After Experimental Subarachnoid Hemorrhage**

Rahul V. Dudhani<sup>1</sup>, Michele Kyle<sup>1</sup>, Christina Dedeo<sup>2</sup>, Margaret Riordan<sup>1</sup>, Eric M. Deshaies<sup>1,2</sup>

<sup>1</sup>Department of Neurosurgery, SUNY Upstate Medical University

<sup>2</sup>Department of Neuroscience and Physiology, SUNY Upstate Medical University

Correspondence to: Eric M. Deshaies at [deshaiee@upstate.edu](mailto:deshaiee@upstate.edu)

URL: <https://www.jove.com/video/4157>

DOI: [doi:10.3791/4157](https://doi.org/10.3791/4157)

## **Materials**

<b>Name</b>	<b>Company</b>	<b>Catalog Number</b>	<b>Comments</b>
Male SD rats (250-300 g)	Taconic	SD-M	
26 G Catheters	Webster	8416683	
25 G Needles	Buffalo	305122	
1 cc Syringes	Central stores	54245	
Ketamine/Xylazine cocktail	Animal Care (SUNY)*	-	
Betadine	Central stores	51458	
Sucrose	Sigma	S9378-1kg	
Paraformaldehyde	Sigma	P6148-500G	
Phosphate buffer solution	Fisher	BP-399-4	
Surgical Table	Harvard	PY2 72-2590	
OCT Compound (cryoprotection)	VWR	25608-930	
Superfrost Slides	Fisher	12-550-15	
* Synthesized at Department of Laboratory Animal Care, SUNY Upstate Medical University. Add 1 cc [100 mg/ml] of Xylazine to 10 ml [100 mg/ml] of Ketamine.			