

Materials List for:

Utilization of Capsules for Negative Staining of Viral Samples within Biocontainment

Candace D. Blancett¹, Mitchell K. Monninger¹, Chrystal A. Nguessan¹, Kathleen A. Kuehl¹, Cynthia A. Rossi², Scott P. Olschner², Priscilla L. Williams², Steven L. Goodman³, Mei G. Sun¹

¹Pathology Division, United States Army Medical Research Institute of Infectious Diseases (USAMRIID)

²Diagnostic Systems Division, United States Army Medical Research Institute of Infectious Diseases (USAMRIID)

³Microscopy Innovations LLC

Correspondence to: Mei G. Sun at mei.g.sun.ctr@mail.mil

URL: <https://www.jove.com/video/56122>

DOI: [doi:10.3791/56122](https://doi.org/10.3791/56122)

Materials

Name	Company	Catalog Number	Comments
Formvar/carbon coated TEM grids	SPI	3420C-MB	200 mesh Cu Pk/100
mPrep/g capsules	EMS	85010-01	box
mPrep/f couplers	EMS	85010-11	standard 16/Pk
glutaraldehyde	EMS	16320	50% solution, EM grade
Osmium Tetroxide	EMS	19190	4% aqueous solution
Uranyl Acetate	EMS	22400	powder
Potassium phosphotungstic acid	EMS	19500	powder
filter paper	Whatman	1450-090	size 50
Transmission Electron Microscope	JEOL	JEM-1011	TEM