

Video Article

Erratum: Near Infrared Optical Projection Tomography for Assessments of β -cell Mass Distribution in Diabetes Research

TODO TODO

TODO, TODO

URL: <http://www.jove.com/video/5617>

DOI: [doi:10.3791/5617](https://doi.org/10.3791/5617)

Keywords: Errata,

Date Published: 12/9/2014

Citation: TODO, T. Erratum: Near Infrared Optical Projection Tomography for Assessments of β -cell Mass Distribution in Diabetes Research. *J. Vis. Exp.* (), e5617, doi:10.3791/5617 (2014).

Abstract

A correction was made to [Near Infrared Optical Projection Tomography for Assessments of \$\beta\$ -cell Mass Distribution in Diabetes Research](#). In Protocol section 1.1, the order of the listed chemicals MeOH:H₂O₂:DMSO has accidentally been switched and should instead be MeOH:DMSO:H₂O₂.

Protocol section 1.1 was changed from:

Incubate the tissue in freshly prepared MeOH:H₂O₂:DMSO bleaching buffer in a 2:1:3 ratio at RT for 24 hr to quench endogenous tissue fluorescence. For larger samples, exchange to new bleaching buffer and incubate for another 24 hr.

to:

Incubate the tissue in freshly prepared MeOH:DMSO:H₂O₂ bleaching buffer in a 2:1:3 ratio at RT for 24 hr to quench endogenous tissue fluorescence. For larger samples, exchange to new bleaching buffer and incubate for another 24 hr.

Protocol

A correction was made to [Near Infrared Optical Projection Tomography for Assessments of \$\beta\$ -cell Mass Distribution in Diabetes Research](#). In Protocol section 1.1, the order of the listed chemicals MeOH:H₂O₂:DMSO has accidentally been switched and should instead be MeOH:DMSO:H₂O₂.

Protocol section 1.1 was changed from:

Incubate the tissue in freshly prepared MeOH:H₂O₂:DMSO bleaching buffer in a 2:1:3 ratio at RT for 24 hr to quench endogenous tissue fluorescence. For larger samples, exchange to new bleaching buffer and incubate for another 24 hr.

to:

Incubate the tissue in freshly prepared MeOH:DMSO:H₂O₂ bleaching buffer in a 2:1:3 ratio at RT for 24 hr to quench endogenous tissue fluorescence. For larger samples, exchange to new bleaching buffer and incubate for another 24 hr.

Disclosures

No conflicts of interest declared.