

Video Article

Erratum: Protein Complex Affinity Capture from Cryomilled Mammalian Cells

URL: <https://www.jove.com/video/5828>

DOI: [doi:10.3791/5828](https://doi.org/10.3791/5828)

Keywords: Errata, Issue 119,

Date Published: 1/20/2017

Citation: Erratum: Protein Complex Affinity Capture from Cryomilled Mammalian Cells. *J. Vis. Exp.* (119), e5828, doi:10.3791/5828 (2017).

Abstract

A correction was made to: *Protein Complex Affinity Capture from Cryomilled Mammalian Cells*. The References section has been updated from:

29. Cristea, I. M., & Chait, B. T. Conjugation of magnetic beads for immunopurification of protein complexes. *Cold Spring Harbor Protocols*. **2011** (5) (2011).
30. Rosenberg, I. M. Electrophoretic Techniques. *Protein Analysis and Purification*. (4), 63–117 (2005).
31. Ornstein, L. Disc Electrophoresis. I. Background and Theory. *Ann N Y Acad Sci*. **121** (A2), 321–349 (1964).
32. Davis, B. J. Disc Electrophoresis. II. Method and Application to Human Serum Proteins. *Ann N Y Acad Sci*. **121**, 404–427 (1964).
33. Laemmli, U. K. Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature*. **227** (5259), 680–685 (1970).
34. Shevchenko, A., Tomas, H., Havlis, J., Olsen, J. V., & Mann, M. In-gel digestion for mass spectrometric characterization of proteins and proteomes. *Nature protocols*. **1** (6), 2856–2860 (2006).
35. DeGrasse, J. A., Kalkum, M., Krutchinsky, A.N., Padovan, J. C., & Zhang, W. *MALDI Sample Preparation*. rockefeller.edu at <<http://prowl.rockefeller.edu/protocols/in-gel-digestion.html>> (2006).
36. Lubas, M., Christensen, M. S., *et al.* Interaction profiling identifies the human nuclear exosome targeting complex. *Mol Cell*. **43** (4), 624–637 (2011).
37. Tackett, A. J., DeGrasse, J. A., Sekedat, M. D., Oeffinger, M., Rout, M. P., & Chait, B. T. I-DIRT, a general method for distinguishing between specific and nonspecific protein interactions. *J Proteome Res*. **4** (5), 1752–1756 (2005).
38. Wang, X., & Huang, L. Identifying dynamic interactors of protein complexes by quantitative mass spectrometry. *Mol Cell Proteomics*. **7** (1), 46–57 (2008).
39. Trinkle-Mulcahy, L., Boulon, S., *et al.* Identifying specific protein interaction partners using quantitative mass spectrometry and bead proteomes. *J Cell Biol*. **183** (2), 223–239 (2008).
40. Boulon, S., Ahmad, Y., *et al.* Establishment of a protein frequency library and its application in the reliable identification of specific protein interaction partners. *Mol Cell Proteomics*. **9** (5), 861–879 (2010).
41. Armean, I. M., Lilley, K. S., & Trotter, M. W. B. Popular computational methods to assess multiprotein complexes derived from label-free affinity purification and mass spectrometry (AP-MS) experiments. *Mol Cell Proteomics*. **12** (1), 1–13 (2013).
42. Mellacheruvu, D., Wright, Z., *et al.* The CRAPome: a contaminant repository for affinity purification-mass spectrometry data. *Nat Methods*. (2013).
43. Cheeseman, I. M., & Desai, A. A combined approach for the localization and tandem affinity purification of protein complexes from metazoans. *Sci. STKE* **2005** (266), pl1 (2005).
44. Goldberg, S. Mechanical/physical methods of cell disruption and tissue homogenization. *Methods in Molecular Biology*. **424** (Chapter 1), 3–22 (2008).
45. Grabski, A. C. Advances in preparation of biological extracts for protein purification. *Methods in Enzymology*. **463** (C), 285–303 (2009).
46. Dhabaria, A., Cifani, P., Reed, C., Steen, H., & Kentsis, A. A High-Efficiency Cellular Extraction System for Biological Proteomics. *J Proteome Res*. **14** (8), 3403–3408 (2015).
47. Glatter, T., Ahmé, E., & Schmidt, A. Comparison of Different Sample Preparation Protocols Reveals Lysis Buffer-Specific Extraction Biases in Gram-Negative Bacteria and Human Cells. *J Proteome Res*. **15** (2), 679 (2016).
48. Zhao, Q.-Q., Yamada, S., & Jimbo, G. The Mechanism and Grinding Limit of Planetary Ball Milling. *KONA*. **7**, 29–36 (1989).
49. Sheng-Yong, L., Qiong-Jing, M., Zheng, P., Xiao-Dong, L., & Jian-Hua, Y. Simulation of ball motion and energy transfer in a planetary ball mill. *Chinese Phys. B* **21** (7), 078201 (2012).
50. Fulton, A. B. How crowded is the cytoplasm? *Cell*. **30** (2), 345–347 (1982).
51. Ellis, R. J. Macromolecular crowding: obvious but underappreciated. *Trends Biochem Sci*. **26** (10), 597–604 (2001).
52. Kalkum, M. Using the Retsch MM301 Ball Mill for Cryogenic Disruption of Yeast Cells. 2 City of Hope, (2003).
53. Staley, J. *Making Whole Cell Extract of Saccharomyces cerevisiae cells using the Retsch MM301 Ball Mill*. Retsch GmbH: (2005).
54. Bell, A. W., Nilsson, T., Kearney, R. E., & Bergeron, J. J. M. The protein microscope: Incorporating mass spectrometry into cell biology. *Nat Methods*. **4** (10), 783–784 (2007).
55. Zhao, X., Li, G., & Liang, S. Several affinity tags commonly used in chromatographic purification. *J Anal Methods Chem*. **2013** (1), 581093–8 (2013).
56. Waugh, D. S. *An overview of enzymatic reagents for the removal of affinity tags*. **80** (2), 283–293 (2011).
57. Williams, R. J., & Lyman, C. M. A neutral buffered standard for hydrogen ion work and accurate titrations which can be prepared in one minute. *J Am Chem Soc*. **54** (5), 1911–1912 (1932).
58. Johnson, M. Detergents: Triton X-100, Tween-20, and More. *labome.com*. **3** (163) (2013).
59. Deppert, W. R., & Lukačín, R. Buffers and Additives. *Journal of Chromatography Library*. **61** (C), 839–862 (1999).
60. Ugwu, S. O., & Apte, S. P. The Effect of Buffers on Protein Conformational Stability. *Pharmaceutical Technology*. **28** (3), 86–108 (2004).
61. Linke, D. Detergents: an overview. *Methods in Enzymology*. **463** (34), 603–617 (2009).

62. Zhang, J. Protein-Protein Interactions in Salt Solutions. *Protein-Protein Interactions Computational and Experimental Tools*. (18), 359–376 (2012).

to:

29. *Ball Mills - Guidelines for sample amount and ball charge*. 1–3at <<http://www.retsch.com/products/milling/ball-mills/planetary-ball-mill-pm-100/information-downloads/>> Retsch GmbH (2014).
30. Cristea, I. M., & Chait, B. T. Conjugation of magnetic beads for immunopurification of protein complexes. *Cold Spring Harbor Protocols*. **2011** (5) (2011).
31. Rosenberg, I. M. Electrophoretic Techniques. *Protein Analysis and Purification*. (4), 63–117 (2005).
32. Ornstein, L. Disc Electrophoresis. I. Background and Theory. *Ann N Y Acad Sci*. **121** (A2), 321–349 (1964).
33. Davis, B. J. Disc Electrophoresis. II. Method and Application to Human Serum Proteins. *Ann N Y Acad Sci*. **121**, 404–427 (1964).
34. Laemmli, U. K. Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature*. **227** (5259), 680–685 (1970).
35. Shevchenko, A., Tomas, H., Havlis, J., Olsen, J. V., & Mann, M. In-gel digestion for mass spectrometric characterization of proteins and proteomes. *Nature protocols*. **1** (6), 2856–2860 (2006).
36. DeGrasse, J. A., Kalkum, M., Krutchinsky, A.N., Padovan, J. C., & Zhang, W. *MALDI Sample Preparation*. rockefeller.edu at <<http://prowl.rockefeller.edu/protocols/in-gel-digestion.html>> (2006).
37. Lubas, M., Christensen, M. S., *et al.* Interaction profiling identifies the human nuclear exosome targeting complex. *Mol Cell*. **43** (4), 624–637 (2011).
38. Tackett, A. J., DeGrasse, J. A., Sekedat, M. D., Oeffinger, M., Rout, M. P., & Chait, B. T. I-DIRT, a general method for distinguishing between specific and nonspecific protein interactions. *J Proteome Res*. **4** (5), 1752–1756 (2005).
39. Wang, X., & Huang, L. Identifying dynamic interactors of protein complexes by quantitative mass spectrometry. *Mol Cell Proteomics*. **7** (1), 46–57 (2008).
40. Trinkle-Mulcahy, L., Boulon, S., *et al.* Identifying specific protein interaction partners using quantitative mass spectrometry and bead proteomes. *J Cell Biol*. **183** (2), 223–239 (2008).
41. Boulon, S., Ahmad, Y., *et al.* Establishment of a protein frequency library and its application in the reliable identification of specific protein interaction partners. *Mol Cell Proteomics*. **9** (5), 861–879 (2010).
42. Armean, I. M., Lilley, K. S., & Trotter, M. W. B. Popular computational methods to assess multiprotein complexes derived from label-free affinity purification and mass spectrometry (AP-MS) experiments. *Mol Cell Proteomics*. **12** (1), 1–13 (2013).
43. Mellacheruvu, D., Wright, Z., *et al.* The CRAPome: a contaminant repository for affinity purification-mass spectrometry data. *Nat Methods*. (2013).
44. Cheeseman, I. M., & Desai, A. A combined approach for the localization and tandem affinity purification of protein complexes from metazoans. *Sci. STKE* **2005** (266), pl1 (2005).
45. Deppert, W. R., & Lukačin, R. Buffers and Additives. *Journal of Chromatography Library*. **61** (C), 839–862 (1999).
46. Ugwu, S. O., & Apte, S. P. The Effect of Buffers on Protein Conformational Stability. *Pharmaceutical Technology*. **28** (3), 86–108 (2004).
47. Linke, D. Detergents: an overview. *Methods in Enzymology*. **463** (34), 603–617 (2009).
48. Zhang, J. Protein-Protein Interactions in Salt Solutions. *Protein-Protein Interactions Computational and Experimental Tools*. (18), 359–376 (2012).
49. Goldberg, S. Mechanical/physical methods of cell disruption and tissue homogenization. *Methods in Molecular Biology*. **424** (Chapter 1), 3–22 (2008).
50. Grabski, A. C. Advances in preparation of biological extracts for protein purification. *Methods in Enzymology*. **463** (C), 285–303 (2009).
51. Dhabaria, A., Cifani, P., Reed, C., Steen, H., & Kentsis, A. A High-Efficiency Cellular Extraction System for Biological Proteomics. *J Proteome Res*. **14** (8), 3403–3408 (2015).
52. Glatter, T., Ahn, E., & Schmidt, A. Comparison of Different Sample Preparation Protocols Reveals Lysis Buffer-Specific Extraction Biases in Gram-Negative Bacteria and Human Cells. *J Proteome Res*. **15** (2), 679 (2016).
53. Zhao, Q.-Q., Yamada, S., & Jimbo, G. The Mechanism and Grinding Limit of Planetary Ball Milling. *KONA*. **7**, 29–36 (1989).
54. Sheng-Yong, L., Qiong-Jing, M., Zheng, P., Xiao-Dong, L., & Jian-Hua, Y. Simulation of ball motion and energy transfer in a planetary ball mill. *Chinese Phys. B* **21** (7), 078201 (2012).
55. Fulton, A. B. How crowded is the cytoplasm? *Cell*. **30** (2), 345–347 (1982).
56. Ellis, R. J. Macromolecular crowding: obvious but underappreciated. *Trends Biochem Sci*. **26** (10), 597–604 (2001).
57. Kalkum, M. Using the Retsch MM301 Ball Mill for Cryogenic Disruption of Yeast Cells. 2 City of Hope, (2003).
58. Staley, J. *Making Whole Cell Extract of Saccharomyces cerevisiae cells using the Retsch MM301 Ball Mill*. Retsch GmbH: (2005).
59. Bell, A. W., Nilsson, T., Kearney, R. E., & Bergeron, J. J. M. The protein microscope: Incorporating mass spectrometry into cell biology. *Nat Methods*. **4** (10), 783–784 (2007).
60. Zhao, X., Li, G., & Liang, S. Several affinity tags commonly used in chromatographic purification. *J Anal Methods Chem*. **2013** (1), 581093–8 (2013).
61. Waugh, D. S. An overview of enzymatic reagents for the removal of affinity tags. **80** (2), 283–293 (2011).

Protocol

A correction was made to: *Protein Complex Affinity Capture from Cryomilled Mammalian Cells*. The References section has been updated from:

29. Cristea, I. M., & Chait, B. T. Conjugation of magnetic beads for immunopurification of protein complexes. *Cold Spring Harbor Protocols*. **2011** (5) (2011).
30. Rosenberg, I. M. Electrophoretic Techniques. *Protein Analysis and Purification*. (4), 63–117 (2005).
31. Ornstein, L. Disc Electrophoresis. I. Background and Theory. *Ann N Y Acad Sci*. **121** (A2), 321–349 (1964).
32. Davis, B. J. Disc Electrophoresis. II. Method and Application to Human Serum Proteins. *Ann N Y Acad Sci*. **121**, 404–427 (1964).
33. Laemmli, U. K. Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature*. **227** (5259), 680–685 (1970).

34. Shevchenko, A., Tomas, H., Havlis, J., Olsen, J. V., & Mann, M. In-gel digestion for mass spectrometric characterization of proteins and proteomes. *Nature protocols*. **1** (6), 2856–2860 (2006).
35. DeGrasse, J. A., Kalkum, M., Krutchinsky, A.N., Padovan, J. C., & Zhang, W. *MALDI Sample Preparation*. rockefeller.edu at <<http://prowl.rockefeller.edu/protocols/in-gel-digestion.html>> (2006).
36. Lubas, M., Christensen, M. S., *et al.* Interaction profiling identifies the human nuclear exosome targeting complex. *Mol Cell*. **43** (4), 624–637 (2011).
37. Tackett, A. J., DeGrasse, J. A., Sekedat, M. D., Oeffinger, M., Rout, M. P., & Chait, B. T. I-DIRT, a general method for distinguishing between specific and nonspecific protein interactions. *J Proteome Res*. **4** (5), 1752–1756 (2005).
38. Wang, X., & Huang, L. Identifying dynamic interactors of protein complexes by quantitative mass spectrometry. *Mol Cell Proteomics*. **7** (1), 46–57 (2008).
39. Trinkle-Mulcahy, L., Boulon, S., *et al.* Identifying specific protein interaction partners using quantitative mass spectrometry and bead proteomes. *J Cell Biol*. **183** (2), 223–239 (2008).
40. Boulon, S., Ahmad, Y., *et al.* Establishment of a protein frequency library and its application in the reliable identification of specific protein interaction partners. *Mol Cell Proteomics*. **9** (5), 861–879 (2010).
41. Armean, I. M., Lilley, K. S., & Trotter, M. W. B. Popular computational methods to assess multiprotein complexes derived from label-free affinity purification and mass spectrometry (AP-MS) experiments. *Mol Cell Proteomics*. **12** (1), 1–13 (2013).
42. Mellacheruvu, D., Wright, Z., *et al.* The CRAPome: a contaminant repository for affinity purification-mass spectrometry data. *Nat Methods*. (2013).
43. Cheeseman, I. M., & Desai, A. A combined approach for the localization and tandem affinity purification of protein complexes from metazoans. *Sci. STKE* **2005** (266), pl1 (2005).
44. Goldberg, S. Mechanical/physical methods of cell disruption and tissue homogenization. *Methods in Molecular Biology*. **424** (Chapter 1), 3–22 (2008).
45. Grabski, A. C. Advances in preparation of biological extracts for protein purification. *Methods in Enzymology*. **463** (C), 285–303 (2009).
46. Dhabaria, A., Cifani, P., Reed, C., Steen, H., & Kentsis, A. A High-Efficiency Cellular Extraction System for Biological Proteomics. *J Proteome Res*. **14** (8), 3403–3408 (2015).
47. Glatter, T., Ahrné, E., & Schmidt, A. Comparison of Different Sample Preparation Protocols Reveals Lysis Buffer-Specific Extraction Biases in Gram-Negative Bacteria and Human Cells. *J Proteome Res*. **15** (2), 679 (2016).
48. Zhao, Q.-Q., Yamada, S., & Jimbo, G. The Mechanism and Grinding Limit of Planetary Ball Milling. *KONA*. **7**, 29–36 (1989).
49. Sheng-Yong, L., Qiong-Jing, M., Zheng, P., Xiao-Dong, L., & Jian-Hua, Y. Simulation of ball motion and energy transfer in a planetary ball mill. *Chinese Phys. B* **21** (7), 078201 (2012).
50. Fulton, A. B. How crowded is the cytoplasm? *Cell*. **30** (2), 345–347 (1982).
51. Ellis, R. J. Macromolecular crowding: obvious but underappreciated. *Trends Biochem Sci*. **26** (10), 597–604 (2001).
52. Kalkum, M. Using the Retsch MM301 Ball Mill for Cryogenic Disruption of Yeast Cells. 2 City of Hope, (2003).
53. Staley, J. *Making Whole Cell Extract of Saccharomyces cerevisiae cells using the Retsch MM301 Ball Mill*. Retsch GmbH: (2005).
54. Bell, A. W., Nilsson, T., Kearney, R. E., & Bergeron, J. J. M. The protein microscope: Incorporating mass spectrometry into cell biology. *Nat Methods*. **4** (10), 783–784 (2007).
55. Zhao, X., Li, G., & Liang, S. Several affinity tags commonly used in chromatographic purification. *J Anal Methods Chem*. **2013** (1), 581093–8 (2013).
56. Waugh, D. S. *An overview of enzymatic reagents for the removal of affinity tags*. **80** (2), 283–293 (2011).
57. Williams, R. J., & Lyman, C. M. A neutral buffered standard for hydrogen ion work and accurate titrations which can be prepared in one minute. *J Am Chem Soc*. **54** (5), 1911–1912 (1932).
58. Johnson, M. Detergents: Triton X-100, Tween-20, and More. *labome.com*. **3** (163) (2013).
59. Deppert, W. R., & Lukačin, R. Buffers and Additives. *Journal of Chromatography Library*. **61** (C), 839–862 (1999).
60. Ugwu, S. O., & Apte, S. P. The Effect of Buffers on Protein Conformational Stability. *Pharmaceutical Technology*. **28** (3), 86–108 (2004).
61. Linke, D. Detergents: an overview. *Methods in Enzymology*. **463** (34), 603–617 (2009).
62. Zhang, J. Protein-Protein Interactions in Salt Solutions. *Protein-Protein Interactions Computational and Experimental Tools*. (18), 359–376 (2012).

to:

29. *Ball Mills - Guidelines for sample amount and ball charge*. 1–3at <<http://www.retsch.com/products/milling/ball-mills/planetary-ball-mill-pm-100/information-downloads/>> Retsch GmbH (2014).
30. Cristea, I. M., & Chait, B. T. Conjugation of magnetic beads for immunopurification of protein complexes. *Cold Spring Harbor Protocols*. **2011** (5) (2011).
31. Rosenberg, I. M. Electrophoretic Techniques. *Protein Analysis and Purification*. (4), 63–117 (2005).
32. Ornstein, L. Disc Electrophoresis. I. Background and Theory. *Ann N Y Acad Sci*. **121** (A2), 321–349 (1964).
33. Davis, B. J. Disc Electrophoresis. II. Method and Application to Human Serum Proteins. *Ann N Y Acad Sci*. **121**, 404–427 (1964).
34. Laemmli, U. K. Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature*. **227** (5259), 680–685 (1970).
35. Shevchenko, A., Tomas, H., Havlis, J., Olsen, J. V., & Mann, M. In-gel digestion for mass spectrometric characterization of proteins and proteomes. *Nature protocols*. **1** (6), 2856–2860 (2006).
36. DeGrasse, J. A., Kalkum, M., Krutchinsky, A.N., Padovan, J. C., & Zhang, W. *MALDI Sample Preparation*. rockefeller.edu at <<http://prowl.rockefeller.edu/protocols/in-gel-digestion.html>> (2006).
37. Lubas, M., Christensen, M. S., *et al.* Interaction profiling identifies the human nuclear exosome targeting complex. *Mol Cell*. **43** (4), 624–637 (2011).
38. Tackett, A. J., DeGrasse, J. A., Sekedat, M. D., Oeffinger, M., Rout, M. P., & Chait, B. T. I-DIRT, a general method for distinguishing between specific and nonspecific protein interactions. *J Proteome Res*. **4** (5), 1752–1756 (2005).
39. Wang, X., & Huang, L. Identifying dynamic interactors of protein complexes by quantitative mass spectrometry. *Mol Cell Proteomics*. **7** (1), 46–57 (2008).
40. Trinkle-Mulcahy, L., Boulon, S., *et al.* Identifying specific protein interaction partners using quantitative mass spectrometry and bead proteomes. *J Cell Biol*. **183** (2), 223–239 (2008).

41. Boulon, S., Ahmad, Y., *et al.* Establishment of a protein frequency library and its application in the reliable identification of specific protein interaction partners. *Mol Cell Proteomics*. **9** (5), 861–879 (2010).
42. Armean, I. M., Lilley, K. S., & Trotter, M. W. B. Popular computational methods to assess multiprotein complexes derived from label-free affinity purification and mass spectrometry (AP-MS) experiments. *Mol Cell Proteomics*. **12** (1), 1–13 (2013).
43. Mellacheruvu, D., Wright, Z., *et al.* The CRAPome: a contaminant repository for affinity purification-mass spectrometry data. *Nat Methods*. (2013).
44. Cheeseman, I. M., & Desai, A. A combined approach for the localization and tandem affinity purification of protein complexes from metazoans. *Sci. STKE* **2005** (266), pl1 (2005).
45. Deppert, W. R., & Lukačín, R. Buffers and Additives. *Journal of Chromatography Library*. **61** (C), 839–862 (1999).
46. Ugwu, S. O., & Apte, S. P. The Effect of Buffers on Protein Conformational Stability. *Pharmaceutical Technology*. **28** (3), 86–108 (2004).
47. Linke, D. Detergents: an overview. *Methods in Enzymology*. **463** (34), 603–617 (2009).
48. Zhang, J. Protein-Protein Interactions in Salt Solutions. *Protein-Protein Interactions Computational and Experimental Tools*. (18), 359–376 (2012).
49. Goldberg, S. Mechanical/physical methods of cell disruption and tissue homogenization. *Methods in Molecular Biology*. **424** (Chapter 1), 3–22 (2008).
50. Grabski, A. C. Advances in preparation of biological extracts for protein purification. *Methods in Enzymology*. **463** (C), 285–303 (2009).
51. Dhabaria, A., Cifani, P., Reed, C., Steen, H., & Kentsis, A. A High-Efficiency Cellular Extraction System for Biological Proteomics. *J Proteome Res*. **14** (8), 3403–3408 (2015).
52. Glatter, T., Ahmè, E., & Schmidt, A. Comparison of Different Sample Preparation Protocols Reveals Lysis Buffer-Specific Extraction Biases in Gram-Negative Bacteria and Human Cells. *J Proteome Res*. **15** (2), 679 (2016).
53. Zhao, Q.-Q., Yamada, S., & Jimbo, G. The Mechanism and Grinding Limit of Planetary Ball Milling. *KONA*. **7**, 29–36 (1989).
54. Sheng-Yong, L., Qiong-Jing, M., Zheng, P., Xiao-Dong, L., & Jian-Hua, Y. Simulation of ball motion and energy transfer in a planetary ball mill. *Chinese Phys. B* **21** (7), 078201 (2012).
55. Fulton, A. B. How crowded is the cytoplasm? *Cell*. **30** (2), 345–347 (1982).
56. Ellis, R. J. Macromolecular crowding: obvious but underappreciated. *Trends Biochem Sci*. **26** (10), 597–604 (2001).
57. Kalkum, M. Using the Retsch MM301 Ball Mill for Cryogenic Disruption of Yeast Cells. 2 City of Hope, (2003).
58. Staley, J. *Making Whole Cell Extract of Saccharomyces cerevisiae cells using the Retsch MM301 Ball Mill*. Retsch GmbH: (2005).
59. Bell, A. W., Nilsson, T., Kearney, R. E., & Bergeron, J. J. M. The protein microscope: Incorporating mass spectrometry into cell biology. *Nat Methods*. **4** (10), 783–784 (2007).
60. Zhao, X., Li, G., & Liang, S. Several affinity tags commonly used in chromatographic purification. *J Anal Methods Chem*. **2013** (1), 581093–8 (2013).
61. Waugh, D. S. *An overview of enzymatic reagents for the removal of affinity tags*. **80** (2), 283–293 (2011).

Disclosures

No conflicts of interest declared.