

Materials List for:

Supramaximal Intensity Hypoxic Exercise and Vascular Function Assessment in Mice

Jessica Lavier^{1,2}, Manon Beaumann³, Steeve Menetrey³, Lucia Mazzolai¹, Anne-Christine Peyter³, Maxime Pellegrin¹, Grégoire P. Millet²

¹Division of Angiology, Heart and Vessel Department, Lausanne University Hospital (CHUV)

²Institute of Sport Sciences, Faculty of Biology and Medicine, University of Lausanne

³Neonatal Research Laboratory, Clinic of Neonatology, Department Woman-Mother-Child, Lausanne University Hospital

Correspondence to: Jessica Lavier at jessica.lavier@unil.ch

URL: <https://www.jove.com/video/58708>

DOI: [doi:10.3791/58708](https://doi.org/10.3791/58708)

Materials

Name	Company	Catalog Number	Comments
Cotton swab	Q-tip		
Gas mixer Sonimix 7100	LSI Swissgas, Geneva, Switzerland		Gas-flow: 10 L/min and 1 L/min for O ₂ and CO ₂ , respectively
Hypoxic Box	Homemade		Made in Plexiglas
Motorized rodents treadmill Panlab LE-8710	Bioseb, France		
Oximeter Greisinger GOX 100	GREISINGER electronic GmbH, Regenstauf, Germany		
Sedacom software	Bioseb, France		
Strain gauge	PowerLab/8SP; ADInstruments		